

The background of the cover is a dark blue gradient. On the left, there is a dark silhouette of a building. A bright, diagonal light trail in shades of yellow and green stretches across the middle of the image. At the bottom, there are horizontal light trails in shades of red and orange, suggesting motion or data flow.

Advanced QoS for Multi-Service IP/MPLS Networks

Ram Balakrishnan
Alcatel-Lucent SRA No.10

“This book is much more than just Alcatel-Lucent QoS framework on the 7x50 product line as it takes the reader through a holistic QoS journey. It is useful for both the network novice and expert alike because it ties QoS concepts to the 7x50 product functionality. The knowledge acquired from this book will enable the network professional to create a solid QoS architecture/design which is mandatory to prioritize services throughout the network. The book is a reference I will return to again and again.”

—BRENT CONRAD, B.Sc.(Chem), B.Sc.(CS),
Bell Canada Technology Development

“A comprehensive book that describes QoS principles and datapath traffic management capabilities of Alcatel-Lucent Service Routers. QoS is made easy with well described examples on how to design, deploy and configure services in IP/MPLS networks. A must reference for network designers or for those aspiring to become architects of modern networks.”

—DR. SUDHKAR GANTI, Professor, University of Victoria

“The concept of a single IP/MPLS multiservice network provides huge economical benefits for service providers in reducing CAPEX and OPEX. With multiservice networks, the ability to assure Service Level Agreements for new service oriented application traffic has become the differentiating factor among competitors. This book educates readers on the detail operation of Quality of Service through IP/MPLS networks for converged services. I highly recommend it for network designers and test engineers.”

—DEAN LEE, Senior Product Manager, IXIA

“With the dual objectives of providing cost-effective high bandwidth services and meeting stringent customer service guarantees, hierarchical service-based QoS has become invaluable for today’s service providers.”

—JONATHAN NEWTON, Senior Architect,
Cable & Wireless Europe, Asia & US

Advanced QoS for Multi-Service IP/MPLS Networks

Advanced QoS for Multi-Service IP/MPLS Networks

Ram Balakrishnan



WILEY PUBLISHING, INC.

Alcatel-Lucent 

Advanced QoS for Multi-Service IP/MPLS Networks

Published by
Wiley Publishing, Inc.
10475 Crosspoint Boulevard
Indianapolis, IN 46256
www.wiley.com

Copyright © 2008 Alcatel-Lucent. All Rights Reserved.

Published by Wiley Publishing, Inc., Indianapolis, Indiana

Published simultaneously in Canada

ISBN: 978-0-470-29369-0

Manufactured in the United States of America

10 9 8 7 6 5 4 3 2 1

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Sections 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 646-8600. Requests to the Publisher for permission should be addressed to the Legal Department, Wiley Publishing, Inc., 10475 Crosspoint Blvd., Indianapolis, IN 46256, (317) 572-3447, fax (317) 572-4355, or online at <http://www.wiley.com/go/permissions>.

Limit of Liability/Disclaimer of Warranty: The publisher and the author make no representations or warranties with respect to the accuracy or completeness of the contents of this work and specifically disclaim all warranties, including without limitation warranties of fitness for a particular purpose. No warranty may be created or extended by sales or promotional materials. The advice and strategies contained herein may not be suitable for every situation. This work is sold with the understanding that the publisher is not engaged in rendering legal, accounting, or other professional services. If professional assistance is required, the services of a competent professional person should be sought. Neither the publisher nor the author shall be liable for damages arising herefrom. The fact that an organization or Website is referred to in this work as a citation and/or a potential source of further information does not mean that the author or the publisher endorses the information the organization or Website may provide or recommendations it may make. Further, readers should be aware that Internet Websites listed in this work may have changed or disappeared between when this work was written and when it is read.

For general information on our other products and services or to obtain technical support, please contact our Customer Care Department within the U.S. at (800) 762-2974, outside the U.S. at (317) 572-3993 or fax (317) 572-4002.

Library of Congress Cataloging-in-Publication Data is available from the publisher.

Trademarks: Wiley and the Wiley logo are trademarks or registered trademarks of John Wiley & Sons, Inc. and/or its affiliates, in the United States and other countries, and may not be used without written permission. All other trademarks are the property of their respective owners. Wiley Publishing, Inc., is not associated with any product or vendor mentioned in this book. Alcatel, Lucent, Alcatel-Lucent and the Alcatel-Lucent logo are trademarks of Alcatel-Lucent. All other trademarks are the property of their respective owners.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

*To my late grandmother, Umayal,
and to my parents, Ramasamy and Alamelu:*

It is your love and guidance that have made me who I am today.

—Ram Balakrishnan

About the Author

Ram Balakrishnan, a senior Network Design Architect with Alcatel-Lucent, is a renowned QoS and Triple-Play expert and educator. Leveraging his IP/MPLS knowledge in addition to his QoS expertise, Ram has led service provider and enterprise initiatives globally to design and implement converged multi-service networks. He holds patents related to intelligent routing algorithms. A frequent contributor to the *Alcatel-Lucent Telecommunications Review*, Ram has over 10 years experience in the telecommunications industry. He holds a BE degree in Electronics and Instrumentation from Annamalai University, India, and MS degrees in Engineering and Computer Science from the University of Saskatchewan, Canada. Ram is also a certified Alcatel-Lucent Service Routing Architect (Alcatel-Lucent SRA No. 10).

Credits

Executive Editor

CHRIS WEBB

Development Editor

SARA SHLAER

Production Editor

DEBRA BANNINGER

Copy Editor

FOXFE EDITORIAL SERVICES

Editorial Manager

MARY BETH WAKEFIELD

Production Manager

TIM TATE

Vice President and

Executive Group Publisher

RICHARD SWADLEY

Vice President and Executive Publisher

JOSEPH B. WIKERT

Project Coordinator, Cover

LYNSEY STANFORD

Compositor

HAPPENSTANCE TYPE-O-RAMA

Proofreader

NANCY CARRASCO

Indexer

TED LAUX

Service Routing: Making IP/MPLS the Bearer of Multi-Service Traffic

The evolution of quality of service (QoS) for IP is really synonymous with the evolution of IP platforms. If you are in the service provider business, you will know the challenge of IP—especially if you were around in 2000 when the Internet really started to heat up.

Prior to the dawn of the Internet, service providers had always offered services that required service level agreements. QoS was inherent in the underlying technologies such as Frame-Relay, ATM and SONET/SDH. But the Internet was different. Its new service definition was simple: “best-effort” delivery. Despite this anomaly, service growth was explosive and made IP part of any network discussion.

Back in 2000, the question we all pondered was whether IP would form the network for all services—not just Internet services. I can recall, in the early 2000s, how often I would read about or hear a carrier calling routers “these bloody IP platforms” and bemoaning the fact that they were not carrier-class.

The challenge was clear: Could IP platforms, when blended with MPLS technology, effectively become the bearer of multi-service traffic? It was a big question. Certainly major improvements would have to occur on a number of dimensions. For example, we needed a carrier-class router design that included scalable control planes, better Operation Administration and Maintenance (OAM) features, true high availability and quality of service. So I joined up with some other like-minded veterans of switching and routing development. We pulled together a small team and conceived of and delivered to market in 2003 the world’s first true “Service Router.” The Alcatel-Lucent 7×50 family quickly became the leading carrier-grade routing platform of its kind, and it has since helped the world’s leading service providers realize their multi-service infrastructure goals. It was designed from the ground up to support multiple services with multiple levels of QoS over IP/MPLS.

No one questions now that IP/MPLS can manage multiple services on a common infrastructure. And that is why QoS is so critically important now. This book provides essential information for today’s multi-service architects. In these pages, Ram Balakrishnan will explain QoS technology and how IP/MPLS network architectures are best designed for multi-service delivery.

Enjoy the book . . . and welcome to the new era of service routing.

Basil Alwan
President, IP Division
Alcatel-Lucent

Preface

In the face of relentless competition, service providers are turning to a new wave of next generation IP-based services to retain customers, increase average revenue per user and to attract new customers. These initiatives require the highest percentage of service reliability to ensure uninterrupted subscriber sessions, to meet stringent service level agreements (SLAs) and to ensure customer satisfaction. A key means by which to ensure service reliability is through service-aware hierarchical quality of service (HQoS). HQoS ensures that the service requirements of all types of traffic flow are satisfied and controlled across the network and that each service has the reliability and the required resources to meet customer performance expectations.

Ram Balakrishnan, has created a wonderful educational resource for you. With over a decade of experience in supporting service providers globally, Ram has written a publication that provides you with a solid theoretical and practical overview of how QoS can be implemented to reach the business objectives defined for an IP/MPLS network.

From our extensive engagements delivering and supporting global customers with our Network Design and OSS Engineering services, Alcatel-Lucent has captured its vast IP service-routing knowledge and expertise in this new publication and our industry-first Service-Routing based certification (SRC) program. The future holds many new telecommunication opportunities for all of us. Have fun with this wave of IP transformation!

Enjoy the knowledge adventure you are about to begin.

Ravi Parmasad
Vice President, Customer Support
IP Division
Alcatel-Lucent

Acknowledgments

To begin, I would like to express my appreciation to Basil Alwan, Ravi Parmasad, and Mac Virdy, members of the Alcatel-Lucent IP Division senior management team for their constant support. Mac: Your enthusiasm is infectious and it made my task of writing this book much easier.

I would like to extend special thanks to Karyn Lennon and George Carroll for getting me all the additional support that I needed during the course of writing this book and helping me to focus on the content development. Karyn: Thank you for your hard work in managing the various publishing tasks of this book. George: It was your continued words of encouragement that helped me to maintain the intensity of my focus throughout this project.

I extend my gratitude to the technical reviewers: Mustapha Aissaoui, Erica Poppe, Yanick Champoux, and Olivier Le Moigne. Thank you all for your detailed comments, and for those frequent and lengthy technical conversations, even in the late evenings. Special appreciation to John Coulter, Bashar Bou-Diab, Matthew Bocci, and Jim Guillet for reviewing different sections of the book and providing valuable inputs. Thanks to Phil Cole for the cover design and for providing input on the internal layout design.

The book also benefited enormously by the inputs provided by external reviewers: Many thanks to Brent Conrad of Bell Canada; Carey Williamson, Professor in the Department of Computer Science at the University of Calgary; Sudhakar Ganti, Professor in the Department of Computer Science at the University of Victoria; Jonathan Newton of Cable&Wireless; and Dean Lee of Ixia.

Special thanks to the staff members of Wiley Publishing for their excellent support. Sara Shlaer: Your involvement in the project made a big positive change to the outcome.

An application note that I wrote on the topic became the stepping-stone for writing this book and thanks to Stephen Rowlandson for encouraging me to write it. Special appreciation to Todd Craw and Miroslav Vrana, not only for providing me with the support documentation, but also for thoroughly reviewing the application note.

My thoughts on the subject were refined because of the lengthy discussions I had with some of Alcatel-Lucent's customers. It is my good fortune that I had the opportunity to work with these people. It is not possible to list all their names here, but my heartfelt thanks to all of them.

Finally, it is the understanding and love of my wife Meena that helped me to complete this book. I spent too many nights and weekends writing this book. She not only kept feeding me, but also brought her own additional work home to keep me company. Meena: I cannot thank you enough and I love you very much.

Ram Balakrishnan

Contents at a Glance

	Introduction	xxv
Part 1	Fundamentals of IP/MPLS QoS	
Chapter 1	The Need for Quality of Service	3
Chapter 2	QoS Models And Network Convergence	17
Chapter 3	Understanding Type of Service Markings	29
Chapter 4	Fundamental QoS Features	47
Part 2	ALSRP QoS Features	
Chapter 5	ALSRP Architecture and Quality of Service Implementation	59
Chapter 6	Network Traffic Classification	75
Chapter 7	Advanced Traffic Classification	119
Chapter 8	Queuing and Buffer Management	143
Chapter 9	Hardware Queue Enabling Options at Access Ingress	193
Chapter 10	Scheduling	219
Chapter 11	Hierarchical Scheduling	249
Chapter 12	Traffic Rate-Limiting	289
Chapter 13	Special Topics	303
Part 3	Designing Quality of Service	
Chapter 14	QoS Design Principles and Service Requirements	361
Chapter 15	Hierarchical Scheduling Design—A Case Study	395
	Glossary	409
	Index	417

Contents

	Introduction	xxv
Part 1	Fundamentals of IP/MPLS QoS	
Chapter 1	The Need for Quality of Service	3
	1.1 The Changing Service Delivery Landscape	4
	1.2 What Is Quality of Service?	5
	1.3 Alcatel-Lucent Service Router Portfolio	6
	1.4 Network Service Restrictions and Service Level Agreements	11
	Summary	15
Chapter 2	QoS Models And Network Convergence	17
	2.1 The Integrated Services QoS Model	18
	2.2 The Differentiated Services QoS Model	20
	Summary	27
Chapter 3	Understanding Type of Service Markings	29
	3.1 The IP Header ToS Field	30
	3.2 DiffServ Per-Hop Behaviors	37
	3.3 Ethernet Frame Formats and the 802.1p ToS Field	40
	3.4 MPLS Shim Header and EXP Field	44
	Summary	46
Chapter 4	Fundamental QoS Features	47
	4.1 Traffic Classification	48
	4.2 Queuing and Buffer Management	50
	4.3 Scheduling	51
	4.4 Rate-Limiting	52
	4.5 Filtering	54
	Summary	55

Part 2 ALSRP QoS Features

Chapter 5 ALSRP Architecture and Quality of Service Implementation 59

5.1 An Overview of ALSRP's Generic Architecture	60
5.2 The IOM Layout and Fast-path Complexes	62
5.3 The QoS Features Enforcement Sequence	64
5.4 Network Demarcation Points.....	66
5.5 End-to-End Traffic Management in an ALSRP Network	69
Summary	72

Chapter 6 Network Traffic Classification 75

6.1 End-to-End Traffic Mapping and Marking.....	77
6.2 Forwarding Classes and Queuing Priorities in ALSRP	80
6.3 Profile States of Datagrams and Queues	81
6.4 SAP-Ingress Policy and Traffic Mapping at Access Ingress.....	83
6.5 Applying the SAP-Ingress Policy.....	100
6.6 Network QoS Policy.....	102
6.7 Applying Network QoS Policy.....	110
6.8 SAP-Egress Policy and Traffic Marking at Access Egress	111
6.9 Applying a SAP-Egress Policy	113
6.10 Verification Commands for QoS Policy Application	115
Summary	117

Chapter 7 Advanced Traffic Classification 119

7.1 Forwarding Subclasses.....	120
7.2 Color-Aware Profiling.....	122
7.3 Honoring the Three Drop Precedence of Assured Forwarding PHB ...	124
7.4 Access Ingress Marking of IP Packets	125
7.5 The Trust Nature of Interfaces and Network Egress Marking	128
7.6 Selecting a ToS Field in QinQ Encapsulated Frames	132
7.7 Tunnel Termination QoS Override	139
Summary	141

Chapter 8 Queuing and Buffer Management 143

8.1 Understanding Buffer Partitions.....	144
8.2 Buffer-Related Queue Parameters.....	152

11.1 Hierarchical Scheduling Parameters	251
11.2 Virtual Scheduler Bandwidth Distribution	252
11.3 Examples of Virtual Scheduler Bandwidth Distribution	254
11.4 Creating and Configuring a Scheduler Policy	263
11.5 Applying a Scheduler Policy	267
11.6 Verification Commands for Hierarchical Scheduling	276
Summary	287

Chapter 12	Traffic Rate-Limiting	289
	12.1 Policing Network Traffic	291
	12.2 Rendering Traffic Conforming by Using Shaping	298
	12.3 Shapeless Policing.	299
	12.4 Traffic Rate-Limiting: Putting It All Together	300
	Summary	302
Chapter 13	Special Topics	303
	13.1 Link Aggregation Group and QoS Adaptation	304
	13.2 Link Fragmentation and Interleaving	310
	13.3 QoS Policy Overrides	313
	13.4 Service Assurance Agent	318
	13.5 Time-Based QoS	338
	Summary	356
Part 3	Designing Quality of Service	
Chapter 14	QoS Design Principles and Service Requirements	361
	14.1 Understanding QoS Design Principles	362
	14.2 Service Requirements of Common Application Traffic	366
	14.3 QoS Design Approach: A Case Study	372
	Summary	392
Chapter 15	Hierarchical Scheduling Design—A Case Study	395
	15.1 Case Study Details	396
	15.2 Design Requirements	398
	15.3 Basic Configuration	399
	15.4 Design Option 1: Basic Scheduling	400
	15.5 Design Option 2: Single-Tier Virtual Hierarchical Scheduling	402
	15.6 Design Option 3: Two-Tier Virtual Hierarchical Scheduling	404
	Summary	407
	Glossary	409
	Index	417

Introduction

Internet Protocol/Multi Protocol Label Switching (IP/MPLS) quality of service (QoS) is a rapidly evolving, and with the advent of service routers, maturing technology. The legacy “best-effort” service offered by IP networks is no longer adequate. The developments in the IP/MPLS QoS is enabling IP/MPLS networks, including the world’s biggest network—the Internet, to offer multiple application services. With these changes, IP is becoming the preferred networking technology for end-to-end network convergence. Therefore, QoS design is becoming a major and inevitable aspect of modern IP/MPLS network design process.

One of the fundamental goals of the Alcatel-Lucent philosophy in designing a family of service routers and offering end-to-end network solutions is to let service providers expand their service infrastructure as they grow. Service routers provide significant customization options, which enable networks to expand seamlessly. In addition, they are deployable in a wide range of network scenarios. QoS features, as core service-related features of service routers, are also fully customizable.

The growing importance of QoS considerations while designing an IP network, and the flexibility provided by service routers in configuring QoS features, increases the responsibilities of the network design and maintenance personnel in gaining a thorough understanding of the subject. The intention behind this book is to help readers to gain such a thorough knowledge of the subject.

How This Book Is Organized

Many readers may entertain the notion that QoS is a complicated topic to understand. As someone who started exploring IP/MPLS networking from a QoS perspective, I beg to differ, and I hope you will find this book provides a simple and straightforward presentation of the subject. Wherever appropriate, I have used real-life analogies to aid readers’ understanding of technical concepts.

The book is divided into three parts and presents the QoS discussion in three levels of abstraction to provide a complete view of the topic. Part 1 presents a high-level end-to-end perspective and fundamental details of QoS. Part 2 explains the theoretical and practical details of the QoS features. The chapters in Part 2 also explain in detail how to configure, apply, and validate the QoS features. Wherever possible, configuration samples and example analyses are also presented. Part 3 rounds off the discussion by providing QoS design principles, a step-by-step approach to designing QoS, and case studies that illustrate using QoS design to meet business objectives.

You will find the material in the Notes and Best Practices sidebars that appear throughout the chapters to be useful as quick reference reminders while designing QoS and during the design verification process in the lab.

In topics related to networking, it is not possible to avoid TLAs (Three-Letter Acronyms) or acronyms in general. The acronyms are so heavily used in the networking industry that some of the terms are more readily recognized by their acronyms, rather than through the expanded terms. For easy reference, most of the commonly used terms and acronyms in the book are listed along with their definitions in the Glossary at the end of the book.

Conventions Used in the Book

Alcatel-Lucent provides a modular approach for configuring the individual entities of Alcatel-Lucent Service Router Portfolio (ALSRP) nodes. In the approach, most of the QoS features and Access Control Lists (ACLs) are configured as policies and applied under appropriate entities. The modular approach and QoS policies make network and QoS designs simple and elegant. This makes node configurations easier to understand and maintain.

ALSRP nodes can be provisioned and managed either directly using the command line interface (CLI) of individual nodes or through a service-aware network management system (Alcatel-Lucent 5620 SAM). Alcatel-Lucent 5620 Service Aware Manager provides different types of interfaces, including a graphical user interface (GUI), for provisioning the nodes of a network. In this book, only the command line configuration option for configuring and managing ALSRP nodes is considered.

CLI commands are entered at the command line prompt. Entering a command makes navigation possible from one command context (or level) to another. When you initially enter a CLI session, you are in the root context. At the root context, the prompt indicates the active central processor module (CPM) slot and the name of the node. For more information on CPM, see Chapter 5. Navigate to another level by entering the name of successively lower contexts. As you change through the levels, the prompt also changes to indicate the context you are in. Listing 1 shows an example CLI navigation and prompt change according to the context.

Listing 1 Navigation and prompt change

```
A:Pod2#  
A:Pod2# show  
A:Pod2>show#
```

The root prompt of Listing 1 indicates that the active CPM slot of the node is A and the name of the node is configured as Pod2. In the listing, on entering the command **show**, the prompt changes to indicate the **show** context. As you can see in this paragraph, when CLI codes are used inline along with the main text, they are indicated by the use of monofont text.

To get contextual help at a given prompt, simply enter a question mark (?). In a given CLI context, you can enter commands at that context level by simply entering the text. It is also possible to enter a command in a lower context as long as the command is formatted in the proper command and parameter syntax. Listings 2 and 3 show the two methods to navigate to the **show qos** context.

Listing 2 Navigation by entering context level commands

```
A:Pod2# show
A:Pod2>show# qos
A:Pod2>show>qos#
```

Listing 3 Navigation by entering lower context level commands

```
A:Pod2# show qos
A:Pod2>show>qos#
```

Listing 4 shows the command options for the **show qos sap-ingress** command. The listing is presented here to explain the syntax of CLI command options. The purpose of the command in Listing 4 is explained in Chapter 6.

Listing 4 An example of CLI command options

```
A:Pod2>show>qos# sap-ingress
- sap-ingress [<policy-id>] [association|match-criteria|detail]

<policy-id>          : [1.65535]
<association>        : keyword - display associations
<match-criteria>     : keyword - display match criteria
<detail>             : keyword - display detailed information
```

In the command syntax, square brackets indicate optional parameters of a command; angle brackets indicate that a substitution is required for the placeholder; and a pipe (|) indicates an either/or relationship between the parameters on either side of the pipe. To shorten some of the listings, later in the book, part of the listings' outputs are stripped and replaced with ... to indicate the stripping.

For further information regarding the use of the command line interface, refer to the *System Basics Guide*, which is a part of the ALSRP product manuals. This book is the first in a series of technical books to be published related to Alcatel-Lucent service routers. This book provides references to the Alcatel-Lucent manuals that come with the Alcatel-Lucent 7750 Service Router, the Alcatel-Lucent 7450 Ethernet Service Switch, or the Alcatel-Lucent 7710 Service Router platforms. If you are an Alcatel-Lucent customer and you don't have access to the Alcatel-Lucent's Service Router product manuals, contact your Alcatel-Lucent account manager. If you are not a customer of Alcatel-Lucent, visit the Contact Us area at www.alcatel-lucent.com.

A standard set of icons are used throughout this book. A representation of these icons and their meanings are listed under the section "Standard Icons".

Audience

This book is targeted for a wide audience, including but not limited to network architects, engineers, administrators, and operators of all types of IP/MPLS based networks. The book is also an excellent resource for students interested in gaining a practical understanding of advancements in IP QoS. If you need to design, support, or just understand IP QoS from an applied perspective, you should find this book useful.

To gain maximum benefit from this book, a basic understanding of IP and MPLS networking is required. Some familiarity with configuring the Alcatel-Lucent 7750 Service Router, the Alcatel-Lucent 7450 Ethernet Service Switch, or the Alcatel-Lucent 7710 Service Router platforms will also be useful. This book also serves as a general technical reference guide to IP/MPLS QoS.

Feedback is Welcome

It would be our pleasure to hear back from you. Please forward your comments and suggestions for improvements to the following email address:

sr.publications@alcatel-lucent.com

With that, I would like to welcome you to the exciting world of quality of service.

Ram Balakrishnan