


TCM Recommendations

Recipes and Foodstuffs

Traditional Chinese Medicine



Liver Qi stagnation E223 (Book: E223)

Diet recommendations for TCM - Liver -Qi stagnation

- 1. Treatment strategy
- 2. Avoid
- 3. Breakfast
- 4. Snack
- 5. Lunch
- 6. Afternoon
- 7. Dinner
- 8. Any time
- 9. Recipes
 - 9.1 8 treasures of rice
 - 9.2 Adzuki Bean and Rice Soup
 - 9.3 Apple sauce with raisins
 - 9.4 Barley mash with berries
 - 9.5 Barley soup
 - 9.6 Basic recipe for a chicken broth worming
 - 9.7 Basic recipe for a reissue soup (Congee)
 - 9.8 Beef broth
 - 9.9 Broccoli cream soup
 - 9.10 Carrot and rice gruel soup
 - 9.11 Celery juice
 - 9.12 Cooling rice dish with grapefruit
 - 9.13 Grape compote
 - 9.14 Grapefruit juice

- 9.15 Lentils and rice stew
- 9.16 Pumpkin soup
- 9.17 Reissue soup with seaweed
- 9.18 Rice congee with carrots and fennel
- 9.19 Rice noodle soup with shiitake mushrooms
- 9.20 Rice porridge with orange peel
- 9.21 Rice porridge with shrubs (seeds) Yi Yi Ren
- 9.22 Rice with stewed vegetables
- 9.23 Roasted millet with Celery sticks
- 9.24 Roasted nuts
- 9.25 Tea from celery sticks
- 9.26 Tea from coriander
- 9.27 Tea from ground
- 9.28 Tea from jasmine blossoms
- 9.29 Tea from lime blossom
- 9.30 Tea from marjoram
- 9.31 Tea from Melissa
- 9.32 Tea from orange blossom
- 9.33 Tea from passion blossoms
- 9.34 Tea from rose blossom
- 9.35 Thick pea soup
- 9.36 Tsampa
- 9.37 Tsampa with jam or fruit compote
- 9.38 Vegetable miso soup with tofu

10. Effects of food

- 10.1 Use ingredients: recommendable
- 10.2 Use ingredients: yes
- 10.3 Use ingredients: little
- 10.4 Do not use contra-acting foods

11. Herbs and their effects

- 11.1 Lady's mantle
- 11.2 Coriander
- 11.3 Herbs various
- 11.4 Cress
- 11.5 Lovage
- 11.6 Lily bulbs
- 11.7 Marjoram
- 11.8 Balm
- 11.9 Parsley
- 11.10 Rosemary
- 11.11 Sage
- 11.12 King Solomon's-seal
- 11.13 Yam root, yam root tuber
- 11.14 Lemon Balm (fresh)
- 12. Basics of Nutrition
 - 12.1 Nutrition
 - 12.2 Recipes
 - 12.3 Foodstuffs
 - 12.4 Herbs
- 13. Other dietic-books

1 Treatment strategy

Difficult to solve with food alone, spread liver QI, move. Hot - NO, cold - NO, sour - LITTLE, everything else YES, especially BITTER

2 Avoid

Too fat, late at night, red meat, spicy hot spices, too much garlic and onion, alcohol, ready meals, denatured food, emotional pressure, stress, perfectionism, lack of exercise, physical stiffness.

3 Breakfast

kkal. per serving
Adzuki Bean and Rice Soup199
Apple sauce with raisins
Barley mash with berries
112 Barley soup 265
Beef broth
Celery juice
Cooling rice dish with grapefruit
Reissue soup with seaweed
Rice congee with carrots and fennel
Rice noodle soup with shiitake mushrooms65
Rice porridge with orange peel
Rice porridge with shrubs (seeds) Yi Yi Ren

Roasted millet with Celery sticks	
Roasted nuts	
Tea from marjoram Thick pea soup	
•	123
Tsampa with jam or fruit compote 280	
Vegetable miso soup with tofu 106	

4 Snack

Adzuki Bean and Rice Soup	
Apple sauce with raisins	199
	73
Barley mash with berries	112
Grape compote	
Reissue soup with seaweed	128
	130