ALLEN RUBIN & DAVID W. SPRINGER, Editors

Treatment of Traumatized Adults and Children

Clinician's Guide to Evidence-Based Practice



Table of Contents

<u>Praise</u> <u>Title Page</u> <u>Copyright Page</u> <u>Introduction</u> <u>Preface</u> <u>ORGANIZATION</u> <u>Acknowledgements</u> <u>About the Editors</u> <u>About the Contributors</u>

PART 1 - INTRODUCTION

CHAPTER 1 - Introduction: Evidence-Based Practice and Empirically Supported ...

GENERAL PRINCIPLES ABOUT TRAUMA AND ITS TREATMENT SAFETY AND THERAPEUTIC ALLIANCE PSYCHOEDUCATION EVIDENCE-BASED PRACTICE WHY READ THIS BOOK? CHAPTERS IN THIS VOLUME REFERENCES ADDITIONAL READINGS

PART 2 - TRAUMA-FOCUSED COGNITIVE BEHAVIORAL THERAPY <u>CHAPTER 2 - Cognitive Behavioral Treatment of Traumatized</u> <u>Adults: Exposure Therapy</u>

ASSESSMENT EXPOSURE: THEORETICAL CONSIDERATIONS EXPOSURE TECHNIQUES PROLONGED EXPOSURES TREATMENT PROGRAM DISCHARGE ASSESSMENT CONCLUSION: CHALLENGES FOR CLINICIANS APPENDIX: ASSESSMENT IN CBT TREATMENT OF TRAUMATIZED ADULTS REFERENCES ADDITIONAL READINGS HANDOUTS

CHAPTER 3 - Cognitive Restructuring

INTRODUCTION INDICATIONS AND CONTRAINDICATIONS STEP-BY-STEP SUPERVISION AND HOW TO OBTAIN TRAINING REFERENCES ADDITIONAL COGNITIVE/COGNITIVE BEHAVIORAL READINGS FOR THERAPISTS ADDITIONAL RESOURCES FOR CLIENTS ADDITIONAL TRAUMA RESOURCES HANDOUTS

<u>CHAPTER 4 - Trauma-Focused Cognitive Behavioral Therapy</u> <u>for Children</u>

TRAUMA THE FOUNDATION OF TFCBT THERAPIST TRAINING IS TFCBT RIGHT FOR MY CLIENTS? WHAT DOES TFCBT LOOK LIKE? ENGAGEMENT ASSESSMENT TFCBT COMPONENTS NONSUPPORTIVE OR AMBIVALENT CAREGIVERS TERMINATION VICARIOUS TRAUMATIZATION CONCLUSIONS REFERENCES ADDITIONAL RESOURCES

PART 3 - EMDR

CHAPTER 5 - EMDR and PTSD

PTSD, ADAPTIVE INFORMATION PROCESSING, AND EMDR EMDR EMDR IN CASE FORMULATION AND THE TREATMENT OF PSTD THE EIGHT PHASES OF EMDR EMDR WITH OTHER TYPES OF TRAUMA AND SITUATIONS CONCLUSION APPENDIX ACKNOWLEDGMENTS REFERENCES ADDITIONAL RESOURCES

<u>CHAPTER 6 - Healing the Origins of Trauma: An Introduction</u> to EMDR in ...

INTRODUCTION WHAT IS EMDR? ADAPTIVE INFORMATION PROCESSING THEORY

GETTING STARTED WITH EMDR INTEGRATING EMDR INTO PRACTICE AFTER BASIC TRAINING **TRAUMA** INDICATIONS OF TRAUMA SYMPTOMS WITH CHILDREN AND ADOLESCENTS TRAUMA AND THE IMPACT ON NEURODEVELOPMENT: IMPLICATIONS FOR PSYCHOTHERAPY WITH ... DEVELOPMENTAL TRAUMA DISORDER NEUROSEOUENTIAL DEVELOPMENT **PSYCHOTHERAPY WITH CHILDREN AND ADOLESCENTS** AIP AND THE EMDR MODEL AS A TEMPLATE FOR A COMPREHENSIVE APPROACH TO CHILD PSYCHOTHERAPY THE EIGHT PHASES OF EMDR THE EIGHT PHASES OF THE EMDR PROTOCOL IN **PSYCHOTHERAPY WITH CHILDREN EPISODES OF CARE** THERAPIST'S ROLE IN EMDR CONCLUSION REFERENCES ADDITIONAL READINGS **ADDITIONAL RESOURCES**

<u>Afterword</u> <u>APPENDIX A - Research Providing the Evidence Base for the</u> <u>Interventions in This Volume</u> <u>APPENDIX B - The Evidence-Based Practice Process</u> <u>Glossary of EMDR Terms</u> <u>Author Index</u> <u>Subject Index</u>

Praise for Treatment of Traumatized Adults and Children

A major stumbling block to adoption of evidence-based practice in the real world of clinical practice has been the absence of clinician-friendly guides suitable for learning specific empirically supported treatments. Such guides need to be understandable, free of technical research jargon, infused with clinical expertise, and rich with real-life examples. Rubin and Springer have hit a home run with the Clinician's Guide to Evidence-Based Practice series, which has all of these characteristics and more.

Edward J. Mullen Willma & Albert Musher Chair and Professor, Columbia University

This timely book provides detailed, easy-to-follow procedures for the treatment of traumatized adults and children, based on a solid foundation of empirically based practice. Treatment of Traumatized Adults and Children, as well as others in the Clinician's Guide to Evidence-Based Practice series, is a must-read for clinicians who incorporate notions of evidence-based practice in their work.

Tony Tripodi Professor Emeritus, Ohio State University

In Treatment of Traumatized Adults and Children, Rubin and Springer and their contributors boil down more than 20 years of published research and practice to provide the busy practitioner with practical guidance in helping the traumatized. It is an indispensable guide to responsibly bringing relief to those who seek it.

Charles R. Figley, Tulane University; Editor of Traumatology

Rubin and Springer have assembled the practice wisdom of leading practitioners of evidence-based practice interventions, enhancing the likelihood that these practices will be adopted by helping professionals. Each chapter introduces readers to principles that undergird a specific intervention and detailed descriptions of assessment criteria, flow of treatment, and procedural steps. Written in the language of practitioners, this book represents an exemplar for dissemination of evidence-based practice information.

Joanne Yaffe

Associate Professor, University of Utah College of Social Work

Treatment of Traumatized Adults and Children is straightforward and practical, and the step-by-step guides allow even the novice to master the skills needed for effective work with trauma. Marvelous job by the editors and contributors.

Kevin Corcoran Professor, Portland State University ALLEN RUBIN & DAVID W. SPRINGER, Editors

Treatment of Traumatized Adults and Children

Clinician's Guide to Evidence-Based Practice Series



This book is printed on acid-free paper.⊗

Copyright © 2009 by John Wiley & Sons, Inc. All rights reserved.

Published by John Wiley & Sons, Inc., Hoboken, New Jersey. Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 646-8600, or on the web at <u>www.copyright.com</u>. Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008.

Limit of Liability/Disclaimer of Warranty: While the publisher and author have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

Designations used by companies to distinguish their products are often claimed as trademarks. In all instances where John Wiley & Sons, Inc. is aware of a claim, the product names appear in initial capital or all capital letters. Readers, however, should contact the appropriate companies for more complete information regarding trademarks and registration.

For general information on our other products and services, please contact our Customer Care Department within the U.S. at (800) 762-2974, outside the United States at (317) 572-3993 or fax (317) 572-4002.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books. For more information about Wiley products, visit our website at <u>www.wiley.com</u>. Library of Congress Cataloging-in-Publication Data:

Treatment of traumatized adults and children/Edited by Allen Rubin, David W. Springer.

p. cm.

Includes index.

elSBN : 978-0-470-55163-9 1. Post-traumatic stress disorder—Treatment. 2. Post-traumatic stress disorder in children—Treatment. 3. Post-traumatic stress disorder—Patients—Rehabilitation. I. Rubin, Allen. II. Springer, David W.

RC552.P67T767 2009

616.85'2100835—dc22 2009004150

Series Introduction

ONE OF THE most daunting challenges to the evidencebased practice (EBP) movement is the fact that busy clinicians who learn of evidence-based interventions are often unable to implement them because they lack expertise in the intervention and lack the time and resources to obtain the needed expertise. Even if they want to read about the intervention as a way of gaining that expertise, they are likely to encounter materials that are either much too lengthy in light of their time constraints or much too focused on the research support for the intervention, with inadequate guidance to enable them to implement it with at least a minimally acceptable level of proficiency.

This is the first in a series of edited volumes that attempt to alleviate that problem and thus make learning how to provide evidence-based interventions more feasible for such clinicians. Each volume will be a how-to guide for practitioners, not a research focused review. Each will contain in-depth chapters detailing how to provide clinical interventions whose effectiveness is being supported by the best scientific evidence.

The chapters will differ from chapters in other reference volumes on empirically supported interventions in both length and focus. Rather than covering in depth the research support for each intervention and providing brief overviews of the practice aspects of the interventions, our chapters will be lengthier and more detailed practitionerfocused how-to guides for implementing the interventions. Instead of emphasizing the research support in the chapters, that support will be summarized in an appendix. Each chapter will focus on helping practitioners learn how to begin providing an evidence-based intervention that they are being urged by managed care companies (and others) to provide, but with which they may be inexperienced. Each chapter will be extensive and detailed enough to enable clinicians to begin providing the evidence-based intervention without being so lengthy and detailed that reading it would be too time consuming and overwhelming. The chapters will also identify resources for gaining more advanced expertise in the interventions.

We believe that this series will be unique in its focus on the needs of practitioners and in making empirically supported interventions more feasible for them to learn about and provide. We hope that you agree and that you find this volume and this series to be of value in guiding your practice and in maximizing your effectiveness as an evidence-based practitioner.

Allen Rubin, PhD David W. Springer, PhD

Preface

IF YOU HAVE been treating traumatized clients—or just reading about their treatment, perhaps in anticipation of treating them—you probably have encountered many referring to empirically supported traumacomments focused interventions that are considered to evidence based. Such interventions include trauma-focused cognitive behavioral therapy (TFCBT), prolonged exposure therapy, eye movement desensitization and and reprocessing (EMDR), which have the best empirical support for treating posttraumatic stress disorder (PTSD). You may also have encountered entire books on each of these interventions and wished you had more time to read them. Perhaps you've seen some research articles reporting outcome studies providing strong empirical support for one or more of these interventions and wished they provided more clinical guidance as to how you could to provide them to your clients. Likewise, you may have read some books that contain chapters on various empirically supported traumafocused interventions, but have been disappointed with the brevity of specific practice guidelines in those chapters. That is because such books typically just provide very brief interventions. thumbnail sketches of the perhaps accompanied by rather lengthy reviews of the studies that supported each.

If you have had the above experiences and reactions, then this book is for you. Its very detailed, lengthy how-to chapters—with case examples sprinkled throughout—are geared to practitioners who want their practice in treating traumatized clients to be evidence based but who don't have the time to read each book on empirically supported interventions for trauma before feeling that they have enough knowledge to make decisions about which approach to adopt and enough guidance to begin providing the chosen intervention as they learn more about it.

This book is also geared to practitioners who may not have had the time to read research articles about empirically supported interventions for traumatized clients or who may be bewildered by the some of the complex research concepts in those articles or by the diversity of findings from study to study. By reading this book, you will learn what interventions have had the best research support and how to provide them. That's because this book has been written in a user-friendly/practitioner-friendly manner for clinicians who want to learn such things without having to struggle with daunting research and statistical terms. For readers who do not want to accept our conclusions just based on our authority, however, this book provides an appendix that reviews the supporting research.

Another aspect of this book that makes it practitioner friendly and that may enhance its value to practitioners is that every intervention chapter has been authored or coauthored by practitioners who have had extensive experience in the intervention and are clinical experts in it. As you read this book, you may be gratified by the extent to which the chapter authors are communicating more as practitioners and not as ivory tower researchers who don't understand the needs of practitioners. Although the book's editors are housed in academia, we have insisted that our chapters be written in a style that maximizes their utility to practitioners. Moreover, we, too, have had extensive practice experience, and the lead editor has had advanced training in EMDR, has had clinical experience in providing it, and has been teaching a clinical course on the assessment and treatment of traumatized populations.

Although the lengthy how-to detail in this book's chapters will not be as extensive as what you will find in an entire book devoted exclusively to the intervention being described in any particular chapter, it should be enough to get you started in providing the intervention and perhaps helping you decide whether you want to pursue further reading and training in that intervention. Toward the latter end, each chapter will also identify recommended additional reading as well as training options.

As previously mentioned, this book's chapters detail how to provide clinical interventions whose effectiveness with traumatized clients is currently being supported by the best scientific evidence. Thus, the separate chapters cover trauma-focused prolonged exposure therapy, cognitive restructuring, TFCBT, and EMDR. Three chapters describe how to provide such interventions to adults, and two chapters cover providing them to children. In addition to the how-to's of the interventions, each chapter covers their indications and contraindications.

Preceding the five chapters on specific empirically supported interventions is an introduction chapter that identifies commonalities among those interventions. Key among those commonalities is the prerequisite that the interventions be provided in the context of a strong therapeutic alliance. The importance of the therapeutic alliance should not be underestimated—not only in light of the research supporting it as a necessary component of effective treatment with any specific intervention approach, but also in light of the widespread misconception that the guidelines for providing empirically supported interventions devalue the importance of the therapeutic alliance and the related misconception that evidence-based practice requires practitioners to function in a mechanistic way following cookbook-like manuals that disregard their practice wisdom and relationship skills. Readers will not find such guidelines in this volume. Instead, each chapter will reflect our emphasis on the importance of both the need to provide interventions that have had their effectiveness supported by the best research evidence and the need to choose, adapt, and provide those interventions in light of their practice expertise, their knowledge of idiosyncratic client characteristics and circumstances, and their relationship skills.

This book is timely as practitioners are increasingly being urged to provide empirically supported interventions and as those interventions are increasingly being required by thirdparty payers. Although EBP has become part of the definition of ethical practice, various studies have shown that practitioners rarely engage in the EBP process. Various pragmatic factors have been cited regarding this concern in particular, real-world time constraints and the difficulty practitioners have in obtaining the needed expertise to begin implementing the interventions with the best empirical support. This book aims to provide that beginning level of expertise in a manner that fits clinician time constraints.

ORGANIZATION

After an introduction chapter (in Part 1), Part 2 of this book provides three chapters on TFCBT. Chapter 2 emphasizes the prolonged exposure therapy component of TFCBT with adults. Chapter 3 emphasizes the cognitive restructuring component of TFCBT with adults. Chapter 4 covers the provision of TFCBT with traumatized children and their caregivers. Part 3 provides two chapters on EMDR, one that focuses on treating adults (Chapter 5) and one that focuses on providing EMDR to children (Chapter 6). The book concludes with a brief afterword, two appendixes, and a glossary. Appendix A reviews the research that provides the empirical support for the interventions covered in this volume. Appendix B describes in detail the evidence-based practice process for readers who would like more detail about that process than is covered in the introduction chapter.

Regardless of which specific approach you use in treating traumatized clients, we hope this book helps you get started in making your treatment of trauma more evidence based. In connection with becoming more evidence based, we hope it also spurs you to pursue further your reading, training, and search for evidence regarding any interventions you decide to adopt or continue using. We would appreciate any feedback you can provide regarding the ways you have found this book to be helpful or any suggestions you may have for improving it. You can e-mail such feedback to arubin@mail. utexas.edu or dwspringer@mail.utexas.edu.

Acknowledgments

SPECIAL THANKS GO to four Wiley staff members who helped make this series possible. In alphabetical order they are: Peggy Alexander, vice president and publisher; Lisa Gebo, senior editor; Sweta Gupta, editorial program coordinator; and Rachel Livsey, senior editor. For this particular volume, we appreciate the fine work of our chapter authors and the helpful feedback they provided to earlier drafts of the complete volume. Thanks also go to the reviewed following colleagues who our submitted manuscript and suggested improvements: Kia Bentley of Virginia Commonwealth University, Lupe Alle-Corliss of California State University at Fullerton, Sherry Cormier of West Virginia University, Waldo Klein of the University of Connecticut, and Albert Roberts of Rutgers University (deceased).

About the Editors

Allen Rubin, PhD, is the Bert Kruger Smith Centennial Professor in the School of Social Work at The University of Texas at Austin, where he has been a faculty member since 1979. While there, he has worked as a therapist in a child guidance center and developed and taught a course on the assessment and treatment of traumatized populations. Earlier in his career he worked in a community mental health program providing services to adolescents and their families. He is internationally known for his many publications pertaining to research and evidence-based practice. In 1997, he was a co-recipient of the Society for Social Work and Research Award for Outstanding Examples of Published Research for a study on the treatment of male batterers and their spouses. His most recent studies have been on the effectiveness of EMDR and on practitioners' views of evidence-based practice. Among his 12 books, his most recent is Practitioner's Guide to Using Research for Evidence-Based Practice. He has served as a consulting editor for seven professional journals. He was a founding member of the Society for Social Work and Research and served as its president from 1998 to 2000. In 1993, he received the University of Pittsburgh School of Social Work's Distinguished Alumnus Award. In 2007, he received the Council on Social Work Education's Significant Lifetime Achievement in Social Work Education Award.

David W. Springer, PhD, LCSW, is the Associate Dean for Academic Affairs and a University Distinguished Teaching Professor in the School of Social Work at The University of Texas at Austin, where he is also Investigator of the InterAmerican Institute for Youth Justice and holds a joint appointment with the Department of Psychology. Dr. Springer's social work practice experience has included work as a clinical social worker with adolescents and their families in inpatient and outpatient settings and as a school social worker in an alternative learning center with youth recommended for expulsion for serious offenses. He currently serves on the editorial board of several professional journals and on the National Scientific and Policy Advisory Council of the Hogg Foundation for Mental Health. He has co-authored or co-edited several other books, including Substance Abuse Treatment for Criminal Offenders: An Evidence-Based Guide for Practitioners and Handbook of Forensic Mental Health with Victims and Offenders. Dr. Springer recently served as Chair of a Blue Ribbon Task Force consisting of national and regional leaders, which was charged with making recommendations for reforming the juvenile justice system in Texas. In recognition of his work with the Blue Ribbon Task Force, the National Association of Social Workers (NASW), Texas Chapter/Austin Branch selected Dr. Springer as the 2008 Social Worker of the Year.

About the Contributors

Robbie Adler-Tapia, PhD is a licensed psychologist who has worked with traumatized children and their families for 23 years. She is certified in EMDR, an EMDRIA Approved Consultant, an EMDR Institute Facilitator, and an EMDR/HAP (Humanitarian Assistance Program) Trainer. With the EMDR HAPKIDS Program, she volunteers to assist with coordinating research, consultation, and training for therapists working with children internationally. She also provided specialty trainings on EMDR with children at the EMDRIA International Conference and at advanced weekend trainings. She coauthored the book EMDR and the Art of Psychotherapy with Children and accompanying treatment manual for clinicians.

Joanne L. Davis, PhD is an Associate Professor of Clinical Director of Undergraduate **Studies** Psychology, in Psychology, and Co-director of the Tulsa Institute of Trauma, Abuse, and Neglect at the University of Tulsa, Oklahoma. She received her doctorate from the University of Arkansas and completed a predoctoral internship at the Medical University of South Carolina and a two-year postdoctoral fellowship at the National Crime Victims Research and Treatment Center in Charleston. South Carolina. Her research interests include the assessment. treatment, and prevention of interpersonal violence and its effects. In recent years, she has focused on the assessment and treatment of chronic nightmares.

Philip W. Dodgson, PhD, is a Consultant Clinical Psychologist in the United Kingdom's National Health Service and in private practice. He holds degrees in psychology from the universities of Oxford, Surrey, and Sussex and is an EMDR Institute and EMDR Europe accredited trainer. Dr. Dodgson's clinical practice is in the treatment of trauma, including working with people who have been victimized by physical, emotional, and sexual abuse and by torture and organized violence. He has worked clinically in the United Kingdom and the Middle East, and taught in the Middle East, Europe, and the United States.

Amy L. Hoch, PsyD, is a licensed psychologist at the Child Abuse Research Education and Service (CARES) Institute at the University of Medicine & Dentistry of New Jersey, School of Osteopathic Medicine, in Stratford, New Jersey. Dr. Hoch therapy individual children provides to who have experienced abuse and neglect and conducts forensic evaluations concerning allegations of sexual abuse. Dr. Hoch coordinates the Stabilization and Trauma Treatment for Adolescents at-Risk (STTAR) program for teens who have a traumatic event and engage in experienced selfdestructive behavior. Dr. Hoch provides workshops on dating violence, sexual assault, and sexual abuse to local high schools and community programs. Dr. Hoch also provides local, national, and international training on trauma-focused therapy coanitive behavioral (TFCBT) and provides supervision, consultation, and training on TFCBT and STTAR.

Elana Newman, PhD, is McFarlin Chair of Psychology, University of Tulsa, Oklahoma; Research Director of the Dart Center for Journalism and Trauma; and a past president of the International Society of Traumatic Stress Studies. Dr. Newman's research in the field of traumatic stress has examined the physical and psychological effects of trauma exposure on adults and children (including meaning of such events), health care costs and trauma, journalism and trauma, occupational health and trauma, research ethics in studying trauma survivors, and substance abuse and trauma. Her recent clinical and supervision work has focused on disseminating best practice for trauma-related disorders, psychological first aid, and trauma-focused interventions for substance users.

Kristi E. Pruiksma received her MA at the University of Tulsa and is currently a PhD student in the Clinical Psychology program. She is research assistant to Dr. Joanne L. Davis and is the lab manager of the Trauma Research: Assessment, Prevention, & Treatment Center (TRAPT) in the Department of Psychology. As a scientist-practitioner, her clinical and research interests include identifying, understanding, and treating difficulties associated with traumatic events; particularly trauma-related nightmares and associated sleep disorders.

Carolyn Settle, MSW, LCSW, is an EMDR Institute Facilitator, an EMDRIA Approved Consultant, and EMDR Humanitarian Assistance Program (HAP) Trainer. Ms. Settle co-authored the book EMDR and the Art of Psychotherapy with Children and the associated manual, in addition to coauthoring two journal articles and a chapter in the book EMDR Scripted Protocols. She is a co-investigator on a research study focused on the efficacy of using EMDR with children two to ten years of age. Presently, Ms. Settle is an international speaker and provides advanced training workshops. Ms. Settle currently works in private practice in Scottsdale, Arizona.

Gretchen Thomas, MSW is the Director of Sex Offender Treatment in New York City and Long Island, New York, for the Counseling and Psychotherapy Center, Inc. Other experience includes teaching appointments at Columbia and New York Universities; involvement in research projects at Columbia, New York, and Fordham Universities in collaboration with the Centers for Disease Control and Prevention and the New York City Public Schools; and providing consultation and training to the New York City Department of Probation and Criminal Court. She is a doctoral candidate at Columbia University.

PART 1

INTRODUCTION

CHAPTER 1

Introduction: Evidence-Based Practice and Empirically Supported Interventions for Trauma

ALLEN RUBIN

MORE AND MORE clinicians these days want to engage in evidence-based practice (EBP). You may be one of them, and, if so, perhaps that's one reason why you are reading this book. Another likely reason, of course, is your interest in treating people who have been traumatized. Each chapter in this book provides a detailed, practitioner-focused how-to guide for providing a specific intervention approach for trauma survivors—interventions whose effectiveness has been supported by a solid evidence base.

Before describing those chapters, however, this introduction will cover some generic principles about trauma and its treatment. It also will summarize the evidence-based practice process and distinguish the overarching concept of evidence-based practice from the provision of specific empirically supported interventions.

GENERAL PRINCIPLES ABOUT TRAUMA AND ITS TREATMENT

DEFINING PSYCHOLOGICAL TRAUMA

is a subjective trauma and Psychological relative phenomenon. Definitions of it vary, depending on whether the focus is on a Diagnostic and Statistical Manual of Mental Disorders, 4th edition (DSM-IV) diagnosis of posttraumatic stress disorder (PTSD), adults versus children, and the context of the potentially traumatic event. For a DSM-IV diagnosis of PTSD, to be traumatic the individual must experience, witness, or be confronted by at least one event that causes or threatens death or serious injury, or that threatens the individual's or someone else's physical integrity. The diagnosis also requires that the individual's response involve intense fear, helplessness, or horror. as Traumatizing events that are sufficiently viewed catastrophic to be commonly associated with PTSD include natural disasters, physical and sexual assault, fires, serious automobile accidents and other serious accidents, military combat, torture, and other forms of exposure to violence.

However, people of all ages can be traumatized without a physical threat or a PTSD diagnosis. In Chapter 5 of this book, Dodgson discusses Shapiro's (2001) concept of "large 'T' traumas" and "small 't' traumas." Small t traumas can have a marked impact on a person's life without meeting DSM-IV diagnostic criteria for being considered a traumatic stressor. For example, small t traumas might include adult events such as partnership breakdown or childhood experiences of humiliation.

Consider, for instance, the devoted wife of a successful and admired politician whose secretive and illegal consorting with prostitutes suddenly becomes exposed in the news media. Children, especially, can be traumatized without a physical threat. Consider the teenage daughters of the aforementioned politician. Also, imagine the difference in the degree of psychological trauma between a middle-aged adult learning that his father did not really die in the war but was in an institution for the criminally insane versus an only child aged 12 finding that out for the first time and realizing that his mother has been lying to him.

Regardless of the nature of the trauma and its context, there is agreement that a psychologically traumatic event will demand extraordinary efforts to cope with a sense of helplessness, fear, horror, or disgust. It will shatter basic assumptions and lead to exaggerated appraisals regarding one's vulnerability and self-image and the trustworthiness of other people. It might also be associated with self-blame and notions that life is meaningless.

The meaning and impact of a traumatic event, however, will be affected by its nature and context. A natural disaster —such as a flood, hurricane, or tornado, for example probably won't induce as much self-blame and lack of trust as would an intentional human act like child abuse, rape, or terrorism. Likewise, the degree to which a traffic accident is psychologically traumatic might depend on whether the survivor was driving and who else was seriously injured or killed. If the traumatic event was an intentional human act, another factor to be considered is the relationship of the perpetrator to the victim. Being sexually abused by a neighbor, albeit horrific, probably will not devastate a child's sense of trust and self-blame as much as being sexually abused by a parent or other close relative.

Also to be considered is whether the client experienced only one isolated traumatic event or multiple such events. Combat veterans with PTSD, for example, often have experienced multiple traumas and consequently are likely to need a much longer treatment regimen than victims of one hurricane. Likewise, children who have been abused multiple times are more likely to have more serious disorders and need more treatment than those who have been abused only once. Regardless of which evidence-based approach you choose to treat trauma, the foregoing considerations should influence how you intervene. Likewise, before you introduce one of the evidence-based interventions discussed in this volume—interventions aimed at restoring trust and a realistic sense of vulnerability—you should first make sure that the client is safe. It would be tragically harmful, for example, to induce an unrealistic sense of trust and safety if the client is still residing in an environment where he or she is vulnerable to ongoing abuse, such as by a parent, sibling, or violent spouse.

ASSESSMENT

Implicit in the preceding considerations is the importance of conducting a thorough assessment before selecting or embarking on one of the evidence-based interventions discussed in this volume. Thus, each intervention chapter in this volume includes attention to assessment processes and issues pertinent to the intervention focus of that chapter. This section, therefore, will focus on generic assessment concepts that apply regardless of the interventions provided to traumatized clients.

Many of the undesirable psychological impacts of trauma on survivors are normal and will not last more than several weeks (if that long). These include such emotions as anger, fear, grief, guilt or shame, numbness, shock, cognitive disorientation, difficulty concentrating, somatic symptoms, problems sleeping or in appetite, being easily startled, interpersonal difficulties, and so on. Most survivors of traumatic events will recover on their own, have their trauma symptoms disappear over time, and not develop PTSD (Friedman, 2006).