

Beginning MATLAB and Simulink

From Novice to Professional

Sulaymon Eshkabilov

Beginning MATLAB and Simulink

From Novice to Professional

Sulaymon Eshkabilov

Beginning MATLAB and Simulink: From Novice to Professional

Sulaymon Eshkabilov Fargo, United States

ISBN-13 (pbk): 978-1-4842-5060-0 ISBN-13 (electronic): 978-1-4842-5061-7

https://doi.org/10.1007/978-1-4842-5061-7

Copyright © 2019 by Sulaymon Eshkabilov

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

Trademarked names, logos, and images may appear in this book. Rather than use a trademark symbol with every occurrence of a trademarked name, logo, or image we use the names, logos, and images only in an editorial fashion and to the benefit of the trademark owner, with no intention of infringement of the trademark.

The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Managing Director, Apress Media LLC: Welmoed Spahr

Acquisitions Editor: Steve Anglin Development Editor: Matthew Moodie Coordinating Editor: Mark Powers

Cover designed by eStudioCalamar

Cover image from rawpixel.com

Distributed to the book trade worldwide by Springer Science+Business Media New York, 233 Spring Street, 6th Floor, New York, NY 10013. Phone 1-800-SPRINGER, fax (201) 348-4505, e-mail orders-ny@springer-sbm.com, or visit www.springeronline.com. Apress Media, LLC is a California LLC and the sole member (owner) is Springer Science + Business Media Finance Inc (SSBM Finance Inc). SSBM Finance Inc is a **Delaware** corporation.

For information on translations, please e-mail editorial@apress.com; for reprint, paperback, or audio rights, please email bookpermissions@springernature.com.

Apress titles may be purchased in bulk for academic, corporate, or promotional use. eBook versions and licenses are also available for most titles. For more information, reference our Print and eBook Bulk Sales web page at http://www.apress.com/bulk-sales.

Any source code or other supplementary material referenced by the author in this book is available to readers on GitHub via the book's product page, located at www.apress.com/9781484250600. For more detailed information, please visit http://www.apress.com/source-code.

Printed on acid-free paper

To the memory of my father. To my mother. To my wife, Nigora, after 25 wonderful years together.

Table of Contents

About the Authorxv		
About the Technical Reviewers	xix	
Acknowledgments	xx	
Introduction	xxiii	
Chapter 1: Introduction to MATLAB	1	
MATLAB's Menu Panel and Help	1	
The MATLAB Environment	7	
Working in the Command Window	g	
Command Window and Variables	11	
Using Variables	11	
When to Use the Command Window	18	
Different Variables and Data Sets in MATLAB	23	
Numerical Data/Arrays	25	
NaN (Not-a-Number)	33	
Character Types of Variables	38	
Function Handle	40	
Logical Arrays	4 4	
Table Arrays	48	
Cell Arrays	50	
Structure Arrays	54	
Complex Numbers	59	
Precision		
M-File and MLX-File Editors		
M-File Editor	60	
MLX-File Editor	62	

Closing the MATLAB Window	72
Summary	72
References	72
Exercises for Self-Testing	73
Exercise 1	73
Exercise 2	73
Exercise 3	73
Exercise 4	74
Exercise 5	74
Exercise 6	74
Exercise 7	74
Exercise 8	74
Exercise 9	74
Exercise 10	75
Exercise 11	75
Exercise 12	75
Exercise 13	76
Exercise 14	76
Exercise 15	76
Exercise 16	77
Exercise 17	77
Exercise 18	77
Exercise 19	77
Exercise 20	77
Exercise 21	7 8
Exercise 22	7 8
Exercise 23	7 8
Exercise 24	79
Exercise 25	79
Exercise 26	80
Exercise 27	80

	Exercise 28	80
	Exercise 29	80
	Exercise 30	80
	Exercise 31	81
	Exercise 32	82
	Exercise 33	82
	Exercise 34	83
	Exercise 35	83
	Exercise 36	83
	Exercise 37	84
	Exercise 38	84
	Exercise 39	84
	Exercise 40	85
	Exercise 41	86
	Exercise 42	87
	Exercise 43	89
	Exercise 44	89
Cha	apter 2: Programming Essentials	91
W	/riting M/MLX-Files	91
	How to Create an M/MLX-File	94
	Warnings in Scripts	94
	Errors in Scripts	
	Cell Mode	113
	Debugging Mode	117
	M-Lint Code Check	118
	Code Profiling	
	Dependency Report	
	P-Codes	
	Some Remarks About Scripts/M/MLX-Files	

Display and Printout Operators: display, sprintf, and fprintf	121
Example 1	122
Example 2	123
fprintf()	124
The if, else, elseif, end and switch, case, end Control Statements	130
Example 1	132
Example 2	133
Example 3	135
Example 4	140
Loop Control Statements: while, for, continue, break, and end	141
Example 1	142
Example 2	143
Example 3	147
Example 4	150
Example 5	151
Example 6	154
Example 7	157
Example 8	158
Memory Allocation	159
Example 9	160
Example 10	162
Example 11	163
Example 12	165
Example 13	167
Example 14	172
Example 15	175
Example 16	176
Symbol References in Programming	178
Asterisk	179
At (@) Sign	179
Colon	180

	Comma	180
	Curly Brackets	180
	Dollar Sign	181
	Dot	181
	Dot-Dot	181
	Dot-Dot (Ellipsis)	181
	Parentheses	182
	Percent	182
	Semicolon	183
	Single Quotes	184
	Slash and Backslash	184
	Square Brackets	184
Fu	nction Files	185
	Example 1	187
	Example 2	189
	Example 3	190
	Example 4	191
	Most Common Errors with Function Files	194
	Varying Number of Inputs and Outputs	196
	Nested and Sub-Functions of Function Files	212
	Function Files Within M-Files	215
	Summary of Scripts and Function Files	217
Inl	ine Functions	218
	Example 1	218
	Example 2	219
	Example 3	219
An	onymous Functions with Handles (@)	220
	Example 1	
	Example 2	
	Example 3	
Hπ	w to Improve Script Performance	

Chapter 3: Graphical User Interface Model Development	223
GUIDE	223
Example 1: Building a 2D Plot	228
Example 2: Adding Functionality	235
Example 3: Solving a Quadratic Equation	238
GUI Dialogs and Message Boxes	246
Error Dialog	247
Warning Message	247
F1 Help/Message Box	247
General Syntax	249
Input Dialog	250
Question Dialog	250
Chapter 4: MEX Files, C/C++, and Standalone Applications	259
Verifying Compilers	260
Generating C Code	260
Creating MEX Files from Other Languages	267
Building Standalone Applications	
Chapter 5: Simulink Modeling Essentials	275
Simulink Modeling	275
Example: Arithmetic Calculations	277
Example: Modeling Simple Arithmetic Operations	281
Performing Matrix Operations	285
Computing Values of Functions	290
Input/Output Signals from/to the MATLAB Workspace	297
Simulating a Mechanical System	300
Working with a Second Order Differential Equation	308
Simulink Model Analysis and Diagnostics	313
Code Generation	314
Model Advisor	315
Summary	321

Ex	ercises for Self-Testing	321
	Exercise 1	321
	Exercise 2	321
	Exercise 3	322
	Exercise 4	322
	Exercise 5	323
	Exercise 6	324
	Exercise 7	324
	Exercise 8	325
	Exercise 9	326
	Exercise 10	327
	Exercise 11	328
	Exercise 12	329
	Exercise 13	330
	Exercise 14	331
	Exercise 15	331
	Exercise 16	332
	Exercise 17	332
	Exercise 18	333
	Exercise 19	333
	Exercise 20	334
	Exercise 21	334
	Exercise 22	335
	Exercise 23	335
	Exercise 24	
	Exercise 25	
	Exercise 26	
	Exercise 27	
	Exercise 28	
	Exercise 29	
	Exercise 30	
	Exercise 31	
	LAUTUIOU U I	UT I

Exercise 32	341
Exercise 33	342
Exercise 34	342
Exercise 35	342
Chapter 6: Plots and Data Visualization	343
Basics of Plot Building	343
PLOT()	344
Example 1: Plotting Two Rows of Data	344
Example 2: Plotting Function Values	345
Example 3: Building a Histogram	347
TITLE, XLABEL, YLABEL, AXIS, GRID, and LEGEND	348
Example 4: Plotting a Unit Circle with Plot Tools	349
LINE and MARKER Specifiers	350
Example 5: Plotting Sine Function Values with Plot Tools	353
Example 6: Plotting Sine Function Values with Plot Tools	355
Plot Two Data Sets in Two Y-Y Axes	356
Example 7: Plotting Two Function Values on Y-Y Axes	356
Sub-plots	359
Example 8: Building Sub-Plots of Functions	359
LEGEND	361
HOLD	361
Example 9: Plotting a Few Function Values in One Plot	361
Example 10: Plotting Function Values with Different Line Markers and Colors	362
EZPLOT, FPLOT, and FIMPLICIT with Function Handles (@)	364
Example 11: Plotting a Mathematical Expression with ezplot()	364
GTEXT, TEXT, and GINPUT	365
Example 12: Locate and Display Minimum Values of a Function Plot in a Plot Figure	366
Axis Ticks and Tick Labels	368
Example 13: Display X-Axis Tick Labels	369
Figure Handles	370
Example 14: Working with Figure Handles	370

3D Surface Plots	372
Example 15: Creating a 3D Pie Plot with pie()	372
Example 16: Creating a 3D Surface Plot with ezsurf()	373
Example 17: Creating a 3D Mesh Plot with ezmesh()	374
Example 18: Creating a 3D Surface-Contour Plot with ezsurfc()	374
Example 19: Creating a 3D Plot of an Electric Potential Field	375
Example 20: Creating 3D Plots with waterfall() and ribbon()	378
3D Line Plots and Animations	380
Example 21: Building 3D Line Plots and Animated 3D Line Plots with plot3(), comet3(), and ezplot3()	380
Animated Plots	382
Example 22: Building an Animated Plot with getframe()	382
Example 23: Building an Animated Plot with drawnow	383
Example 24: Building an Animated Plot with drawnow	383
Example 25: Building an Animated Plot of a Projectile with getframe()	384
Summary	385
Exercises for Self-Testing	386
Exercise 1	
Exercise 2	387
Exercise 3	387
Exercise 4	387
Exercise 5	388
Exercise 6	389
Exercise 7	389
Exercise 8	389
Exercise 9	390
Exercise 10	390
Exercise 11	390
Exercise 12	391
Exercise 13	391
Exercise 14	391
Exercise 15	391

Exercise 16	392
Exercise 17	392
Exercise 18	393
Exercise 19	393
Exercise 20	394
Exercise 21	394
Exercise 22	394
Exercise 23	395
Exercise 24	395
Exercise 25	396
Chapter 7: Linear Algebra	397
Introduction to Linear Algebra	
Matrix Properties and Operators	
Simulink Blocks for Matrix Determinant, Diagonal Extraction, and Transpose	
Matrix Inverse or Inverse Matrix	
Simulink Blocks for Inverse Matrix	405
Matrix Operations	428
Example: Performing Matrix Operations	
Standard Matrix Generators	
Vector Spaces	
Polynomials Represented by Vectors	
Simulink Model Based Solution of Polynomials	
Eigen-Values and Eigen-Vectors	
Matrix Decomposition	
QR Decomposition	
LU Decomposition	
Cholesky Decomposition	
Schur Decomposition	
Singular Value Decomposition (SVD)	
Logic Operators, Indexes, and Conversions	

	Logical Indexing	470
	Example: Logical Indexing to locate and Substitute Elements of A Matrix	473
	Conversions	475
Su	mmary	480
Re	ferences	481
Ex	ercises for Self-Testing	482
	Exercise 1	482
	Exercise 2	483
	Exercise 3	483
	Exercise 4	484
	Exercise 5	484
	Exercise 6	485
	Exercise 7	485
	Exercise 8	485
	Exercise 9	486
	Exercise 10	486
	Exercise 11	486
	Exercise 12	487
	Exercise 13	487
	Exercise 14	487
	Exercise 15	487
	Exercise 16	488
	Exercise 17	488
	Exercise 18	488
	Exercise 19	488
	Exercise 20	489
	Exercise 21	489
	Exercise 22	489
	Exercise 23	489
	Exercise 24	489
	Exercise 25	490

Chapter 8: Ordinary Differential Equations	491
Classifying ODEs	492
Example 1: Unconstrained Growth of Biological Organisms	493
Example 2: Radioactive Decay	493
Example 3: Newton's Second Law	494
Analytical Methods	495
DSOLVE	496
Example 1: Using dsolve	496
Example 2: Plotting from dsolve	496
Example 3: Adding an Unspecified Parameter	498
Second-Order ODEs and a System of ODEs	499
Example 1: dsolve with a Second-Order ODE	499
Example 2: System ODEs	500
Example 3: Unsolvable Solutions Using dsolve	501
Example 4: Computing an Analytical Solution	502
Example 5: An Interesting ODE	502
Example 6: Responding to No Analytical Solution	503
Laplace Transforms	504
Example 1: First Laplace Transform	505
LAPLACE/ILAPLACE	506
References	516
Indov	E17

About the Author



Sulaymon Eshkabilov, PhD, is currently a visiting professor at the Department of Agriculture and Biosystems, North Dakota State University, USA. He obtained an ME diploma from the Tashkent Automobile Road Institute, an MSc from Rochester Institute of Technology, NY, USA, and a PhD from Cybernetics Institute of Academy Sciences of Uzbekistan in 1994, 2001, and 2005, respectively. He was an associate professor at the Tashkent Automobile Road Institute from December 2006 until January 2017. He held visiting professor and researcher positions at Ohio University, USA, during the 2010/2011 academic year and at Johannes Kepler University,

Austria from January-September, 2017. He teaches the following courses: "MATLAB/ Simulink Applications for Mechanical Engineering and Numerical Analysis" and "Modeling of Engineering Systems" to undergraduate students, "Advanced MATLAB/ Simulink Modeling" seminar/class, "Control Applications," "System Identification," and "Experimentation and Testing with Analog and Digital Devices" to graduate students.

His research interests are mechanical vibrations, control, mechatronics, and system dynamics. He developed simulation and data analysis models for vibrating systems, autonomous vehicle control, and studies of mechanical properties of bones. He has authored two books devoted to MATLAB/Simulink applications for mechanical engineering students and numerical analysis. He has worked as an external academic expert in the European Commission to assess academic projects in 2019.

About the Technical Reviewers



Dr. Joseph Mueller specializes in control systems and trajectory optimization. For his doctoral thesis, he developed optimal ascent trajectories for stratospheric airships. His active research interests include robust optimal control, adaptive control, applied optimization and planning for decision support systems, and intelligent systems to enable autonomous operations of robotic vehicles. Prior to joining SIFT in early 2014, Dr. Mueller worked at Princeton Satellite Systems for 13 years. In that time, he served as the principal

investigator for eight small business innovative research contracts for NASA, the Air Force, the Navy, and MDA. He has developed algorithms for optimal guidance and control of both formation flying spacecraft and high altitude airships and developed a course of action planning tool for DoD communication satellites. In support of a research study for the NASA Goddard Space Flight Center in 2005, Dr. Mueller developed the Formation Flying Toolbox for MATLAB, a commercial product that is now used at NASA, ESA, and several universities and aerospace companies around the world. In 2006, Dr. Mueller developed the safe orbit guidance mode algorithms and software for the Swedish Prisma mission, which has successfully flown a two-spacecraft formation flying mission since its launch in 2010. Dr. Mueller also serves as an adjunct professor in the Aerospace Engineering & Mechanics Department at the University of Minnesota, Twin Cities campus.

ABOUT THE TECHNICAL REVIEWERS



Karpur Shukla is a research fellow at the Centre for Mathematical Modeling at FLAME University in Pune, India. His current research interests focus on topological quantum computation, nonequilibrium, and finite-temperature aspects of topological quantum field theories, and applications of quantum materials effects for reversible computing. He received an M.Sc. in physics from Carnegie Mellon University, with a background in theoretical analysis of materials for spintronics applications as well as Monte Carlo simulations for the renormalization group of finite-temperature spin lattice systems.

Acknowledgments

I would like to express my special gratitude to the technical reviewers of this book—Dr. Joseph Mueller and Mr. Karpur Shukla—for their very thorough work while reviewing the context and code of the book. Without their critical insights and corrections many points along the way, the book would not be as good as it is now. I would also like to express my special gratitude to Mark Powers for his timely and well planned correspondence throughout this book project.

My cordial gratitude goes to my mother, for her limitless support and love. Up until the last point of this book, she has kept checking my progress.

I would like to thank my wife, Nigora. Without her great support, I would not be able to take up the challenging task of writing this book. I have spent so much time over the weekends in my office writing and editing the book. In addition, I would like to thank our children—Anbara, Durdona, and Dovud—for being such delightful people and for being the inspiration for writing this book.

Introduction

This book is aimed at beginner-level learners of MATLAB/Simulink packages. It covers the essential, hands-on tools and functions of the MATLAB and Simulink packages, and explains them via interactive examples and case studies. The main principle of the book is "learning by doing" and it progresses from simple to complex. It contains dozens of solutions and simulation models via M/MLX files/scripts and Simulink models, which help you learn the programming and modeling essentials. Moreover, there are many recommendations for avoiding pitfalls related to programming and modeling aspects of MATLAB/Simulink packages.

"Beginning MATLAB and Simulink" explains various practical issues of programming and modeling in parallel by comparing programming tools of MATLAB and blocks of Simulink. After studying this book, you'll be proficient at using MATLAB/ Simulink packages. You can apply the source code and models from the book's examples as templates to your own projects in data science, numerical analysis, modeling and simulation, or engineering.

Essential learning outcomes of the book include:

- Getting started using MATLAB and Simulink
- Performing data analysis and visualization with MATLAB
- Programming essentials of MATLAB and core modeling aspects of Simulink, and how to associate scripts and models of MATLAB and Simulink packages
- Developing GUI models and standalone applications in MATLAB
- Working with integration and numerical root-finding methods in MATLAB and Simulink
- Solving differential equations in MATLAB and Simulink
- Applying MATLAB for data analysis and data science projects

INTRODUCTION

The book contains eight logically interlinked chapters.

- Chapter 1 is dedicated to introducing the MATLAB environment and MATLAB recognized data types, including numeric, cell, structure, character, logical, function handle, and table.
- Chapter 2 covers most of the essential programming tools and functions, such as for ... end and while ... end loop operators, if...elseif...else...end condition operators, symbol referencing, and most common errors and warnings. It also covers M-file debugging tools and options in MATLAB. Moreover, this chapter addresses MATLAB-specific programming tools, including function files, function handles, and display operators, such as disp(), display, fprintf, and sprint.
- Chapter 3 covers GUI development and how to write and edit GUI model callback functions.
- Chapter 4 addresses the issues of how to develop MEX files,
 C/C++ code, and standalone applications from the existing M-files.
- Chapter 5 is dedicated to Simulink modeling essentials. The
 examples in this chapter cover matrix operations, computing
 function values, modeling, and solving ordinary differential
 equations. Moreover, it covers issues around how to associate
 Simulink models with MATLAB scripts.
- Chapter 6 is devoted to data visualization issues, such as building 2D and 3D plots and animated plots in MATLAB.
- Chapter 7 is dedicated to matrix algebra and array operations. It
 addresses solving systems linear equations, eigen-value problems,
 matrix decompositions, matrix and vector operations, and
 conversions of arrays and strings via examples solved in MATLAB
 and Simulink in parallel.
- Chapter 8 covers some essential aspects of solving ordinary differential equations analytically and using MATLAB's built in functions and commands.

All of the source code (scripts, M/MLX/MAT files, Simulink models, SLX/MDL files, C code, MEX-files, and installation *.exe files) discussed in the book are available to readers via a Download Source Code button on the book's apress.com product page and accessible via the Download Source Code link located at www.apress.com/9781484250600.

Note The scripts in the book may not always be the best solutions to the given problems, but this is done intentionally in order to emphasize methods used to improve them. In some other cases, it is found to be the most appropriate solution to the author's best knowledge. Should I spot better alternative solutions to exercises, I will publish them via MathWorks' MATLAB Central User Community's file exchange, via my file exchange link there (under my name).

No matter how hard we worked to proofread this book, it is inevitable that there will be some typographical errors that might slip through and will appear in print.

September 2019

Sulaymon Eshkabilov

Introduction to MATLAB

The MATLAB package is employed in wide ranges of engineering and scientific computing applications and is associated with the dynamic system simulation package called Simulink. The package has a few advantages and remarkable strengths, such as user-friendly and intuitive programming syntax, high-quality numerical algorithms for various numerical analyses, powerful and easy-to-use graphics, simple command syntax to perform computations, and many add-ons as toolboxes and real and complex vectors and matrices, including sparse matrices as fundamental data types.

There are diverse application areas of the package, i.e. simulation of various systems such as vehicle performances, mapping of the human genome, financial analysis in emerging economies, microbiology applications in diagnosis and treatment of small organisms, dynamic simulations of large ships in down-scaled laboratory models, simulation of the next generation network audio products, teaching computer programming to undergraduates with real-time laboratory tests and measurements, and image processing for underwater archeology and geology.

In this chapter, we discuss some essential key features of the graphical user interface (GUI) of MATLAB, how to use the help tools and library sources, how to adjust the format options and accuracy and precision settings, how to create various variables and variable structures, and how to employ the M/MLX editors to write and edit scripts/programs.

MATLAB's Menu Panel and Help

The MATLAB application can be launched from the Windows operating system by clicking the icon/shortcut from the desktop window or choosing Start ➤ All Programs ➤ MATLAB. As MATLAB loads, the user's last preserved data, files, entries, last 20 commands (by default), and menu bar and tools with the last preferences all appear.

CHAPTER 1 INTRODUCTION TO MATLAB

MATLAB's graphical user interface (GUI) tools and windows are customizable. Users can easily manipulate, customize, and change preferences of the package according to their needs. Figure 1-1 shows the default main window of MATLAB 2018a. It must be noted that the package's GUI menu and tools have changed over the years in an effort to make the package more user friendly and the tools more intuitive. The default window has the main menu tools, a Current Directory indicator, and Command, Workspace, and Command History windows. These windows can be docked/undocked or opened in a separate window, closed or removed from the main window, or dragged from one pane to another and maximized or minimized.

This main desktop window is shown in Figure 1-1.




Figure 1-1. Default MATLAB desktop window (R2018b)

The main components of the package's graphical user interface (GUI) tools are as follows:

- Tools and toolbars are grouped into three menus—HOME, PLOTS, and APPs (see Figure 1-2). The HOME tab contains all the main tools. It's where you can create and delete new files and variables, import data, access the code analyzer, launch Simulink, change the MATLAB package desktop layout change options, set the path, and access addons and help options.
- The Current Directory window is in the left pane by default. This window shows all the files in the directory and the folder directory.
- The Command Window is in the central pane (by default). All commands and/or (small) scripts/codes can be entered directly after [5]. By clicking on [5] (see Figure 1-4) in the Command Window, you can view all built-in functions and MATLAB toolboxes. This option is only available starting from MATLAB version R2008a. All installed toolboxes can also be viewed or accessed by clicking on the APPS tab (see Figure 1-2), which is available in later versions of MATLAB, starting with the R2010a version.
- The Workspace pane of the default desktop window shows the current entries and saved variables during the session. These entries are saved temporarily until the MATLAB application is closed. All essential attributes and properties of entries/variables (variable names, values, and types) are displayed in the workspace.



Figure 1-2. MATLAB main menu: The HOME, PLOTS, and APPS tabs (MATLAB R2018b)

CHAPTER 1 INTRODUCTION TO MATLAB

One of the most essential strengths of this package is its help documentation, which includes help libraries and tools. They can be accessed using GUI tools and entries from the Command Window. It is a good idea to start using the package by exploring the Getting Started options, which you can access by clicking the Getting Started hyperlinked text, above the Command Window. This brings up the Help Library documentation, as shown in Figure 1-3, which contains the essential documentation and help tools, such as examples and function syntax.




Figure 1-3. Getting Started with MATLAB and Help Library documentation

Note Before discussing the help options, I need to highlight one important point concerning comments. In MATLAB, users can write necessary hints and help remarks as comments within the M/MLX-files and in the Command Window. Comments need to start with an % sign. There are other options for adding comments, which I will discuss later when writing M/MLX-files.

There are a few other hands-on ways to obtain help. For example, to get quick help about MATLAB's built-in function tools and commands, including user-generated functions, users can type the following in the Command Window:

Figure 1-4 and Figure 1-5 show some of the results of quick and extensive help. In addition, the application has GUI tools and broad online library resources, product descriptions, video tutorials, and open public forums on the MathWorks website.

```
>> help matrix
                                                                                                      >> lookfor size
    help for ismatrix ---
                                                                                                      reshape
                                                                                                                                         - Change size of a categorical array.
 ignatriy True if input is a matrix.
                                                                                                                                         - Size of a categorical array.
                                                                                                      size
     ismatrix(X) returns logical 1 (true) if SIZE(M) returns [m n]
                                                                                                                                        - Size of a table.
    with nonnegative integer values m and n, and logical O (false) otherwise.
                                                                                                      size
                                                                                                                                         - Size of array.
    See also isscalar, isvector, isrow, iscolumn, isnumeric, islogical, ischar,
                                                                                                                                        - Size of containers.Map object
                                                                                                      size
               isempty, size.
                                                                                                      CustomSizeString
                                                                                                                                        - Abstract interface for computing nonstandard sizes
    Reference page for ismatrix
Other functions named ismatrix
                                                                                                                                        - Returns the size of the Triangulation matrix
                                                                                                      size
                                                                                                                                       - Returns the size of the Triangulation matrix
                                                                                                      size
                                                                                                      getPackageSize
                                                                                                                                       - returns the estimated size of all the files to be pa
   Plus. X + Y adds matrices X and Y. X and Y must have compatible sizes. In the
                                                                                                                                        - Calls figobj doresize function.
                                                                                                      doresize
    simplest cases, they can be the same size or one can be a scalar. Two inputs have compatible sizes if, for every dimension, the dimension sizes of the inputs are either the same or one of them is 1.
                                                                                                                                        - AXISOBJ/EDITMOVERESIZE Move and resize axisobj objec
                                                                                                      editmoveresize
                                                                                                                                        - AXISOBJ/RESIZE Resize axisobj object
                                                                                                      editsize
                                                                                                                                        - AXISTEXT/EDITSIZE Edit font size for axistext object
    C = plus(A.B) is called for the syntax 'A + B' when A or B is an
                                                                                                                                       - EDITLINE/EDITSIZE Edit editline linewidth
                                                                                                      editsize
                                                                                                                                       - FIGOBJ/DORESIZE Resize for figobj object
    Reference page for plus
                                                                                                                                        - SCRIBEHANDLE/DORESIZE Resize scribehandle object
    Other functions named plus
                                                                                                      doresize
                                                                                                      checkImageSizeForPrint
                                                                                                                                        - Checks to see if the image that will be
                                                                                                      shrinkfaces
                                                                                                                                        - Reduce size of patch faces.
    be Size of array.
D = size(X), for N-by-N matrix X, returns the two-element row vector
D = (M, M) containing the number of rows and columns in the matrix.
For N-D arrays, size(X) returns a 1-by-N vector of dimension lengths.
                                                                                                                                         - Resize Button Group.
                                                                                                      btnresize
                                                                                                      selectmoveresize
                                                                                                                                         - has been removed.
    Trailing singleton dimensions are ignored.
                                                                                                      imresize
                                                                                                                                         - Resize image.
```

Figure 1-4. Getting help




Figure 1-5. Getting help

You can search for help in MATLAB using the Command Window and the help, lookfor, doc, docsearch, and helpwin commands for the clock function, for example:

- Quick help can be obtained from the Command Window with the help command. In this case, help is displayed from MATLAB's built-in commands/functions as well as within the user's function files. This is a quick way to obtain help.
 - >> help clock
- Extensive (detailed) help, with examples, is displayed in the Help Library window with the following commands, but only if such a function file (e.g., clock) exists.
 - >> doc clock
 - >> docsearch clock
- 3. You can access an extended list of M-files containing a keyword from the Command Window by using the following help command. Note that this option is much slower than the other two search options, due to its exhaustive search for the keyword.
 - >> lookfor clock

- 4. You can view the function file explanation in the Help Library by using the following command, but only if such a function file (e.g., clock) exists.
 - >> helpwin clock
- 5. All extended tips, examples, and command syntax can be viewed from the Help Library (displayed in Figure 1-3), which can be accessed by clicking on the Help menu options.
- 6. You can use the F1 keyboard key to open the Help Library and documentation.
- By clicking on the Help menu from the main panel, you can access various help resources from MathWorks, such as its Help Library resources, web resources, demo examples, updates, trials, and so forth.

There are a number of hands-on help resources available online, including MathWorks website academia, the user community's published scripts and file exchanges[1], and the MATLAB answers forum [2], where learners/users/developers post their questions and seek answers, or conversely post their answers to posted questions. It also includes function files, Simulink models, online forums, tutorials of numerous universities [3], and personal web pages of professors and researchers [4], just to name a few.

The MATLAB Environment

Let's start working with the MATLAB environment by making some changes to its layout using its GUI tools, such as Layout, Preferences, and Set Path, which are located on the HOME tab. To make changes to the layout (see Figure 1-6) from the HOME tab's main menu, you have to click on the Layout drop-down menu (1). Many options and different windows are available to choose from. The Desktop window consists of Command, Command History, Current Directory, and Workspace windows if there are tick marks before those window names. You can separate or drag around any of these windows by clicking the title bar and dragging the window to the new location.