

RGS-IBG BOOK SERIES

Royal
Geographical
Society
with IBG

Advancing geography
and geographical learning

GEOCHEMICAL SEDIMENTS & LANDSCAPES

Edited by

David J. Nash
and Sue J. McLaren



Blackwell
Publishing

Contents

series

copyright

List of Figures

List of Tables

List of Contributors

Series Editors' Preface

Acknowledgements

Chapter One

*Introduction: Geochemical Sediments
in Landscapes*

1.1 Scope of This Volume

1.1 Scope of This Volume

1.2 Organisation

*1.3 Significance of Geochemical Sediments
in Landscapes*

References

Chapter Two Calcrete

2.1 Introduction: Nature and General Characteristics
2.2 Classification
2.3 Distribution
2.4 Calcretes in a Geomorphological Context
2.5 Macromorphological Characteristics
2.6 Micromorphological Characteristics
2.7 Laminar Calcretes
2.8 Mineralogy and Chemistry
2.9 Mechanisms of Formation of Pedogenic Calcretes
2.10 Profile Development
2.11 Groundwater Calcretes
2.12 Palaeoenvironmental Significance
2.13 Relationships to Other Terrestrial Geochemical Sediments
2.14 Directions for Future Research
Acknowledgements
References

Chapter Three Laterite and Ferricrete

3.1 Introduction
3.2 Distribution, Field Occurrence and Geomorphological Relations
3.3 Laterite and Ferricrete at the Profile Scale
3.4 Mechanisms of Formation
3.5 Mineralogy and Chemistry
3.6 Micromorphological Characteristics

3.7 Dating and Palaeoenvironmental Significance of Lateritic Weathering Profiles

3.8 Relationship to other Terrestrial Geochemical Sediments

3.9 Directions for Future Research
References

Chapter Four Silcrete

4.1 Introduction: Nature and General Characteristics

4.2 Distribution, Field Occurrence and Geomorphological Relations

4.3 Macromorphological Characteristics

4.4 Mineralogy and Chemistry

4.5 Micromorphological Characteristics

4.6 Silica Sources, Transfers and Precipitation Mechanisms

4.7 Models of Silcrete Formation

4.8 Palaeoenvironmental Significance

4.9 Relationships to other Terrestrial Geochemical Sediments

4.10 Directions for Future Research

Acknowledgements

References

Chapter Five Aeolianite

5.1 Introduction: Nature and General Characteristics

5.2 Distribution, Field Occurrence and Geomorphological Relations

5.3 Macro- and Micromorphological Characteristics

5.4 Chemistry and Mineralogy

5.5 Mechanisms of Formation or Accumulation

5.6 Palaeoenvironmental Significance

5.7 Relationships to other Terrestrial Geochemical Processes and Sediments

5.8 Directions for Future Research
References

Chapter Six Tufa and Travertine

6.1 Introduction: Nature and General Characteristics

6.2 Distribution, Field Occurrence and Geomorphological Relations

6.3 Macro- and Micromorphological Characteristics

6.4 Biology, Chemistry, Mineralogy and Petrology

6.5 Mechanisms of Formation and Accumulation

6.6 Palaeoenvironmental Significance

6.7 Relationships to other Terrestrial Geochemical Sediments and Geomorphological Roles

6.8 Directions for Future Research
Acknowledgements

References

Chapter Seven Speleothems

7.1 Introduction to Speleothem-Forming Cave Environments

7.2 Distribution, Field Occurrence and Geomorphological/ Hydrological Relations

7.3 Macro- and Micromorphological Characteristics of Flowstones, Stalactites and Stalagmites

7.4 Chemistry of Speleothems

7.5 Mechanisms of formation

7.6 Summary of Use of Speleothems in Palaeoclimate Determination

7.7 Directions for Future Research

Acknowledgements

References

Chapter Eight Rock Varnish

8.1 Introduction: Nature and General Characteristics

8.2 Distribution, Field Occurrence and Geomorphological Relations

8.3 Macro- and Micromorphological Characteristics

8.4 Chemistry and Mineralogy

8.5 Mechanisms of Formation or Accumulation

8.6 Palaeoenvironmental Significance

8.7 Relationships to other Terrestrial Geochemical Sediments

8.8 Summary and Directions for Future Research

Acknowledgements

References

Chapter Nine Lacustrine and Palustrine Geochemical Sediments

9.1 Introduction

9.2 Nature and General Characteristics

9.3 Geomorphological Relations

9.4 Macro- and Micromorphological Characteristics

9.5 Chemistry and Mineralogy

9.6 Relationships to other Terrestrial Geochemical Sediments

9.7 Palaeoenvironmental Significance and Directions for Future Research

Acknowledgements

References

Chapter Ten Terrestrial Evaporites

10.1 Introduction

10.2 Distribution, Field Occurrence and Geomorphological Relations

10.3 Micromorphological Characteristics

10.4 Chemistry and Mineralogy

10.5 Origin of Solutes

10.6 Mechanisms of Formation and Classification

10.7 Palaeoenvironmental Significance

**10.8 Relationship to other Terrestrial
Geochemical Sediments**

10.9 Directions for Future Research

References

Chapter Eleven Beachrock and Intertidal Precipitates

**11.1 Introduction: Nature and General
Characteristics**

11.2 Occurrence and Distribution

**11.3 Macro- and Micromorphological
Characteristics**

11.4 Chemical Considerations

11.5 Mechanisms of Formation

11.6 Palaeoenvironmental Significance

**11.7 Relationship to other Modes of
Lithification**

11.8 Directions for Future Research

References

Chapter Twelve Sodium Nitrate Deposits and Efflorescences

12.1 Introduction

**12.2 The Distribution, Field Occurrence and
Geomorphological Relations of the Atacama
Nitrate Deposits**

**12.3 The Chemistry and Mineralogy of the
Nitrate**

12.4 The Aridity and Age of the Atacama

12.5 Mechanisms of Formation and Accumulation

12.6 Sodium Nitrate in Weathering

12.7 Directions for Future Research

12.8 Conclusion

References

Chapter Thirteen Analytical Techniques for Investigating Terrestrial Geochemical Sediments

13.1 Introduction

13.2 Elemental Analysis

13.3 Mineralogical Analysis

13.4 Isotopic Analysis

13.5 Conclusions

Chapter Fourteen Geochemical Sediments and Landscapes: General Summary

Index

RGS-IBG Book Series

Published

Geochemical Sediments and Landscapes

Edited by David J. Nash and Sue J. McLaren

Driving Spaces: A Cultural-Historical Geography of England's M1

Motorway

Peter Merriman

Badlands of the Republic: Space, Politics and Urban Policy

Mustafa Dikeç

Geomorphology of Upland Peat: Erosion, Form and Landscape Change

Martin Evans and Jeff Warburton

Spaces of Colonialism: Delhi's Urban Governmentales

Stephen Legg

People/States/Territories

Rhys Jones

Publics and the City

Kurt Iveson

After the Three Italies: Wealth, Inequality and Industrial Change

Mick Dunford and Lidia Greco

Putting Workfare in Place

Peter Sunley, Ron Martin and Corinne Nativel

Domicile and Diaspora

Alison Blunt

Geographies and Moralities

Edited by Roger Lee and David M. Smith

Military Geographies

Rachel Woodward

A New Deal for Transport?

Edited by Iain Docherty and Jon Shaw

Geographies of British Modernity

Edited by David Gilbert, David Matless and Brian Short

Lost Geographies of Power

John Allen

Globalizing South China

Carolyn L. Cartier

Geomorphological Processes and Landscape Change: Britain in the Last 1000 Years

Edited by David L. Higgitt and E. Mark Lee

Forthcoming

Politicizing Consumption: Making the Global Self in an Unequal World

Clive Barnett, Nick Clarke, Paul Cloke and Alice Malpass

Living Through Decline: Surviving in the Places of the Post-Industrial Economy

Huw Beynon and Ray Hudson

Swept-Up Lives? Re-envisioning 'the Homeless City'

Paul Cloke, Sarah Johnsen and Jon May

Climate and Society in Colonial Mexico: A Study in Vulnerability

Georgina H. Endfield

Resistance, Space and Political Identities

David Featherstone

Complex Locations: Women's Geographical Work and the Canon 1850-1970

Avril Maddrell

Mental Health and Social Space: Towards Inclusionary Geographies?

Hester Parr

Domesticating Neo-Liberalism: Social Exclusion and Spaces of Economic Practice in Post Socialism

Adrian Smith, Alison Stenning, Alena

Rochovská and Dariusz Świątek

*Value Chain Struggles: Compliance and Defiance in the
Plantation Districts of South India*

Jeffrey Neilson and Bill Pritchard

Aerial Geographies: Mobilities, Subjects, Spaces

Peter Adey

*Queer Visibilities: Space, Identity and Interaction in Cape
Town*

Andy Tucker

Geochemical Sediments and Landscapes

Edited by

David J. Nash and Sue J. McLaren

© 2007 by Blackwell Publishing Ltd

BLACKWELL PUBLISHING

350 Main Street, Malden, MA 02148-5020, USA

9600 Garsington Road, Oxford OX4 2DQ, UK

550 Swanston Street, Carlton, Victoria 3053, Australia

The right of David J. Nash and Sue J. McLaren to be identified as the Authors of the Editorial Material in this Work has been asserted in accordance with the UK Copyright, Designs, and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs, and Patents Act 1988, without the prior permission of the publisher.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks, or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book.

This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold on the understanding that the publisher is not engaged in rendering professional services. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

First published 2007 by Blackwell Publishing Ltd

1 2007

Library of Congress Cataloging-in-Publication Data

Geochemical sediments and landscapes/edited by David J.
Nash, Sue J. McLaren.

p. cm. - (RGS-IBG book series)

Includes bibliographical references and index.

ISBN 978-1-4051-2519-2 (hardcover: acid-free paper) 1.
Sediments (Geology) - Analysis. 2. Geomorphology. I. Nash,
David J. II. McLaren, Sue J.

QE471.2.G462 2007

551.3-dc22

2007018801

Figures

- [2.1](#) Settings for calcrete development.
- [2.2](#) Calcrete microstructures.
- [2.3](#) Idealised calcrete profile.
- [2.4](#) (A) Stage V calcrete. (B) Thick pisolitic calcrete horizon.
- [2.5](#) (A) Laminar calcrete overlain by an oolitic-pisolitic layer associated with a calcified root mat layer. (B) Stage V-VI profile with hardpan layer overlain by pisolitic and brecciated level with a prominent calcified root mat layer.
- [2.6](#) End-member types of calcrete microstructure.
- [2.7](#) Models for pedogenic calcrete development.
- [2.8](#) Dynamic model for pedogenic calcrete development.
- [2.9](#) Characteristics of groundwater calcretes.
- [2.10](#) Geometries of groundwater calcretes and dolocretes.
- [3.1](#) Schematic diagram showing the laterite-ferricrete genetic relationship, and the natural continuum between the autochthonous (i.e. *in situ* weathering profiles) and allochthonous end-members.
- [3.2](#) Examples of mesa-like remnants of a Late Cretaceous lateritised palaeosurface developed on Deccan basalt from widely separated localities across the Maharashtra Plateau, western India.
- [3.3](#) Generalised vertical section through the autochthonous Bidar laterite weathering profile.
- [3.4](#) Examples of laterite and ferricrete profiles.
- [3.5](#) Examples of weathering and lateritic textures at key horizons through the Merces Quarry lateritic weathering profile.
- [3.6](#) Schematic representation of the downward advancement of the weathering front, showing the relative changes in abundances of the major lateritic components, Si and Fe, during profile evolution.
- [3.7](#) Schematic representation of changes in element abundances in a lateritic weathering profile affected by the establishment of a water table.
- [3.8](#) Examples from the ferricrete alteration profile observed at outcrop at Palika Ba, near the Gambia River, Gambia, West Africa.
- [3.9](#) Pathways of formation of secondary minerals in lateritic weathering profiles.
- [3.10](#) Ternary or tri-plots (SiO_2 , Fe_2O_3 , Al_2O_3) of (a) Bidar, and (b) Merces Quarry data.

- 3.11** (A) Weathering stages of quartz, biotite, K-feldspar and Na-feldspar. (B) Weathering resistance and degree of weathering in humid tropical environments.
- 3.12** Photomicrographs illustrating the micromorphology through a low-level coastal laterite profile of Neogene age developed within Deccan basalt from Guhagar, western India.
- 3.13** Schematic illustration of the formation and evolution of successive laterite facies.
- 4.1** Silcretes in the landscape.
- 4.2** Geomorphological classification of silcretes.
- 4.3** Pedogenic silcrete profiles.
- 4.4** Groundwater silcrete outcrops.
- 4.5** (A) Massive drainage-line silcrete in the floor of the Boteti River, Botswana, at Samedupe Drift. (B) Close-up of a partially silicified non-pedogenic calcrete beneath the floor of Kang Pan, near Kang, Botswana. (C) Sheet-like pan/lacustrine silcrete developed through the desiccation of formerly floating colonies of the silicafixing cyanobacteria *Chloriflexus* at Sua Pan, Botswana.
- 4.6** Photomicrographs of pedogenic and groundwater silcretes.
- 4.7** Photomicrographs of drainage-line and pan/lacustrine silcretes.
- 4.8** (A) Variations in silica solubility with pH. (B) The release and sorption of monosilicic acid by a black earth soil under varying pH.
- 4.9** (A) Schematic representation of a 'typical' pedogenic silcrete profile. (B) Model of groundwater silcrete development in the Paris Basin.
- 4.10** (A) Cores extracted from the bed of the Boteti River at Samedupe Drift, Botswana. (B) Section of silcretes in the Mirackina palaeochannel, South Australia. (C) Schematic representation of geochemical sedimentation patterns in the vicinity of a pan or playa.
- 5.1** Aeolianite from North Point, San Salvador, The Bahamas.
- 5.2** Internal sedimentary structures, Wahiba Sands, Oman.
- 5.3** Differentially cemented laminae.
- 5.4** Alternating darker wet and lighter dry layers in a modern-day dune, Studland, UK.
- 5.5** Rim cements developed in an aeolianite from Cabo de Gato, southern Spain.
- 5.6** Micritic envelopes developed around a former shell fragment that has undergone dissolution and has been partially replaced by secondary porosity and neomorphic spar, Campo de Tiro, Mallorca.
- 5.7** Aeolianite from Cap Blanc, Tunisia.

- 5.8** Scanning electron microscopy image showing needle fibre cement developed in a root mould, Campo de Tiro, Mallorca.
- 6.1** Thin section of a sample of tufa from a Holocene paludal deposit at Wateringbury, Kent.
- 6.2** Vertical section through a stream crust colonised by the cyanobacterium *Phormidium incrustatum*.
- 6.3** Some tufa morphologies.
- 6.4** Silver Falls, Tianxing Bridge Park, Guizhou Province, China.
- 6.5** Pearl Shoal, Juizhaigou, Sichuan, China.
- 6.6** Large tufa deposit on the edge of the Naukluft Mountains, Namibia.
(A) Highly porous, actively forming *Vaucheria* tufa from Fleinsbrunnen Bach, Schwabian Alb, Germany. (B) Leaf relics from ancient tufa barrage at Caerwys, North Wales. (C) Large bladed spar crystals developed under high water flow rates at Goredale waterfall, Yorkshire. (D)
- 6.7** Laminated cyanobacterial tufa from Fleinsbrunnenbach, Schwabian Alb, Germany (E) Fine-grained, thinly laminated tufa from Whit Beck, North Yorkshire (F) Laminated sparite from dense, recrystallised laminated tufa in the Naukluft Mountains, Namibia.
- 6.8** (A) Scanning electron microscopy image of diatom frustules within actively forming barrage tufas at Cwm Nash, Glamorgan.
- 7.1** Speleothem characteristics.
(A) Conceptual model of the karst system with its physiology of water flow and CO₂ transport and release. (B) Cartoon of speleothem
- 7.2** occurrence in relation to cave sedimentational history. (C) The concept of karstic capture of high-resolution climatic signals.
(A) Seasonal variations in drip rate with superimposed short-term hydrological events from a stalactite in Pere-Nöel cave in Belgium. (B)
- 7.3** Variations in cation loads, as monitored by electroconductivity, of drip waters in response to seasonal patterns and individual infiltration events for two drips at Ernesto cave.
(A) Dissolved Ca loads resulting from dissolution of pure limestone to saturation and their relationship with (soil or epikarst) pCO₂. (B)
- 7.4** Plumbing model illustrating processes affecting dripwater hydrology and hydrochemistry.
- 7.5** Soda straw stalactites from Ernesto cave and Crag Cave.
- 7.6** Stalagmite calcite fabrics.
- 7.7** Stalagmite laminae.
(A, B) Examples of modelled speleothem macromorphologies. (C)
- 7.8** Modelled maximal growth rates of speleothems under a stagnant fluid layer.

- 7.9** (A) Cross-section through the Alpine Ernesto cave, Trentino province, Italy. (B) Interpretation of Mg and $\delta^{13}\text{C}$ records through stalagmite ER76.
- 7.10** Diagrammatic relationships between the flow-related and cave-related geomorphological factors and the high-resolution properties of speleothems.
- 8.1** Rock varnish at a road cut between Death Valley, California and Las Vegas, Nevada.
- 8.2** Rock varnish varies considerably over short distances, over a single boulder and over a single hillslope.
- 8.3** Microcolonial fungi are common inhabitants on desert rocks that experience warm season convective precipitation.
- 8.4** Rock varnish on Hanaupah Canyon alluvial fan, Death Valley.
- 8.5** Forms of varnish micromorphology.
- 8.6** High resolution transmission electron microscopy imagery of manganese and iron minerals that appear to be moving from the granular remnants of bacterial sheaths into adjacent clay minerals.
- 8.7** Budding bacteria morphologies actively concentrating manganese.
- 8.8** Clay minerals that appear to be weathering by the insertion of Mn-Fe.
- 8.9** Conceptual models of rock varnish formation.
- 8.10** Varnish microlaminations.
- 8.11** Rock varnish interlayers with iron film and silica glaze at Whoopup Canyon, Wyoming. (A) Iron film (BSE image) acts as a case hardening agent, and rock varnish accretes on top of the iron film exposed by petroglyph manufacturing. (B) Varnish actively assists in case hardening (BSE image) when the leached cations reprecipitate with silica glaze in sandstone pores.
- 9.1** Diagrammatic cross-section of a typical hard-water temperate lake during summer.
- 9.2** Sketch of the relationships between oxygen, temperature and biogenic activity in a meromictic lake, at noon in summer.
- 9.3** (A) Classification of lacustrine sedimentation in Jura Mountains lakes. (B) Aerial and (C) field view from the palustrine (marsh) zone towards the deep lake (Lake Neuchâtel, Switzerland) in a hard-water lake environment.
- 9.4** Simplified sketch of the geomorphological evolution of some lacustro-palustrine landscapes.
- 9.5** (A) Horizontal beds forming a transition from floodplain deposits to a palustro-lacustrine environment and lacustrine limestones. (B) Lacustrine deposits with stromatolitic bioherms (C) Palustrine limestone

with abundant root traces. (D) Lacustrine bottom-set sediments enriched in organic matter and showing thin turbiditic layers. (E) Palustrine limestone with a well developed palaeosol at the top. (F) Various types of crushed shell fragments in a lacustrine mud. (G) Lacustrine bioclastic and oolitic sand deposited near a shore.

9.6 (A) 'Glacial' varves from a Last Glacial Maximum lake. (B) Slab of a transition from lacustrine to palustrine. (C) Succession of lacustrine mud deposits undergoing short emergence. (D) Lamina of dark micrite and microsparite with ostracod test fragments and *Chara* encrustations. (E) Pedogenic pseudomicrokarst in emerged lacustrine mud. (F) Traces of pedogenesis in emerged micrite. (G) Palustrine micritic limestone infilled by a dark secondary micrite associated with gypsum crystals.

9.7 Simplified chart showing the evaporite precipitation sequence from waters of various compositions.

9.8 (A) Clayey and calcareous diatomite from northern Lake Chad. (B) Spherule-like crystals of kenyaite (hydrous sodium silicate) precipitated in apolyhaline interdunal ponds, Lake Chad. (C) Zeolite crystals inside a crack between a mass of magadiite. (D) Dead Sea brine showing regular salt deposits related to the fluctuation of the lake water level, Israel. (E) Close-up of salt deposits, mainly constituted by halite and sylvite. (F, G) Lake Lisan regular varval deposits composed of detritic marl and endogenous aragonite, Israel.

9.9 Scanning electron micrographs of lacustrine calcareous sediments.

9.10 Sketch showing the relationship between space and time in a palustro-lacustrine environment.

10.1 (A) Playa system at Death Valley, California. (B) Salar de Cauchari, Jujuy Province, Puna, northern Argentina. (C) Laguna Santa Rosa, part of the Salar de Maricunga, east of Copiapó, Chile. (D) Halite crust, Dabuxan Lake, Qaidam Basin, China.

10.2 Distribution of areas without surface drainage and with interior basin (or endorheic) drainage.

10.3 (A) Surface halite crust, Lake Koorkoordine, Southern Cross, Western Australia. (B) Lake Eyre North, Australia, after partial flooding and evaporative retreat. (C) Western shoreline of Lake Frome, South Australia. (D) Halite crust, Lake Frome, South Australia. (E) Halite crust with sinuous salt-crystallisation pressure ridges, Sickle Lake, Northern Territory, Australia. (F) Pervasive mudcracked texture, Dry Mudflat facies, Lake Eyre North, Australia. (G) Regressive strandlines, Lake Buchanan, Queensland, Australia. (H) Regressive shorelines, Lake Buchanan, Queensland, Australia. (I) An island composed of Archaean bedrock draped by gypcrete in the halite-encrusted floor of Lake Lefroy, near Kambalda, Western Australia. (J) Carnallite ($MgCl_2 \cdot KCl \cdot 6H_2O$) crystals from the commercial evaporating ponds that use brines trapped within the Qarhan salt plain, Qaidam Basin, China.

- 10.4** Playa depositional/evaporative facies arranged parallel to, and potentially concentrically in plan around, the shorelines of an evaporating lake.
- 10.5** Depositional cycle within a playa system.
- 10.6** Hydrological classification of playa types and their topographic settings.
- 10.7** Evaporation sequence for seawater.
- 10.8** Brine evolution pathways and a hydrological classification of progressively evaporating non-marine waters.
- 11.1** Photographs of beachrock outcrops: Basse Terre, Guadeloupe, West Indies; Halfmoon Cay, Lighthouse Reef, Belize; Kuramathi island, Rasdu Atoll, Maldives.
- 11.2** Photographs of beachrock outcrops: Kubbar Island, Kuwait, Arabian-Persian Gulf; Andros Island, Bahamas.
- 11.3** Outcrop and hand specimens of beachrock.
- 11.4** Diagenetic environments and typical cements, and the formation of beachrock in relation to other cemented coastal deposits.
- 11.5** Photomicrographs of marine beachrock cements.
- 11.6** Scanning electron microscopy images of marine beachrock cements.
- 11.7** Scanning electron microscopy images of marine beachrock and meteoric cayrock cements.
- 11.8** Photomicrographs of meteoric cements.
- 11.9** Outcrops of beachrock and other cemented beach deposits: Ras Al-Julayah, southern Kuwait; Cay Bokel, Turneffe Islands, Belize; Hurasdhoo, lagoon of Ari Atoll, Maldives.
- 11.10** Outcrops of other cemented beach deposits: Cat Cay, western margin of Great Bahama Bank; Barbados, West Indies; Andros Island, Bahamas.
- 12.1** The distribution of sodium nitrate deposits in northern Chile.
- 12.2** An abandoned *officina* in the Atacama near Iquique, northern Chile.
- 12.3** The hyperarid, salt mantled landscape of the Atacama inland from Iquique.
- 12.4** Cemented regolith on a raised beach south of Iquique.
- 12.5** The hygroscopic and deliquescent nature of sodium nitrate crystals observed under the scanning electron microscope in the laboratory.
- 12.6** The solubility of sodium nitrate in water.
- 13.1** Diffractograms showing the importance of correct choice of extractant for the selective dissolution of crystalline Fe from a laterite.
- 13.2** Diffractograms comparing XRD analysis from glass slide and membrane mounted samples of the same weathered granite from Meniet (central

Algeria).

Tables

- 2.1** Morphological types of calcrete horizons.
- 3.1** Common alteration minerals found in laterites and bauxites.
- 3.2** Geochemical analyses of autochthonous laterite profiles developed on Deccan basalt exposed at Bidar, India and on Proterozoic greywacke exposed at Mercedes Quarry near Panjim, Goa, India.
- 3.3** Geochemical analyses of the ferricrete alteration profile exposed at Palika Ba, Gambia, West Africa.
- 4.1** Genetic classification of duricrusts.
- 4.2** Morphological classification of silcrete.
- 4.3** Classification of silcrete according to matrix (cement) type and macromorphology.
- 4.4** Micromorphological classification of silcrete.
- 4.5** Genetic classification of silcrete.
- 4.6** Examples of regional investigations of silcrete.
- 4.7** Bulk chemistry of world silcretes.
- 6.1** Tufa morphologies and facies characteristics for the four major tufa types.
- 8.1** Different types of rock coatings.
- 8.2** A few of the misunderstandings in the literature surrounding rock varnish and its environmental relations.
- 8.3** Examples of elemental variation exhibited in bulk chemical analyses of rock varnishes found in desert regions.
- 8.4** Criteria that have been used to adjudicate competing models of rock varnish formation.
- 8.5** Performance of alternative rock varnish conceptual models with respect to adjudicating criteria.
- 8.6** Different methods that have been used to assess rock varnish chronometry.
- 9.1** Main minerals and mineral groups associated with lacustrine geochemical sediments and their possible origins.
- 10.1** Classification of evaporites by solute sources and geological setting.
- 12.1** Salt minerals present in caliche deposits of the Atacama.
- 13.1** Characterisation of a selected range of analytical techniques.
- 13.2** Selective extraction of a rock varnish highlighting its ability to partition a sample into its constituent phases.

Contributors

Dr Andrea Borsato - Museo Tridentino de Scienze Naturali, via Calepina 14, 38100 Trento, Italy. Email: borsato@mtsn.tn.it

Professor Allan R. Chivas - GeoQuEST Research Centre, School of Earth and Environmental Sciences, University of Wollongong, NSW 2522, Australia. Email: toschi@uow.edu.au

Professor Ronald I. Dorn - School of Geographical Sciences, Arizona State University, P.O. Box 870104, Tempe, Arizona 85287-0104, USA. Email: ronald.dorn@asu.edu

Professor Ian Fairchild - School of Geography, Earth and Environmental Sciences, University of Birmingham, Edgbaston, Birmingham B15 2TT, UK. Email: i.j.fairchild@bham.ac.uk

Dr Silvia Frisia - School of Environmental and Life Sciences, University of Newcastle, Callaghan, NSW 2308, Australia. Email: silvia.frisia@newcastle.edu.au

Professor Eberhard Gischler - Institut für Geowissenschaften, Universität Frankfurt am Main, Senckenberganlage 32-34, Postfach 11 19 32, D-60054 Frankfurt am Main, Germany. Email: gischler@em.unifrankfurt.de

Professor Andrew S. Goudie - School of Geography, Centre for the Environment, University of Oxford, South Parks Road, Oxford, OX1 3QY, UK. Email: andrew.goudie@stx.ox.ac.uk

Dr Elaine Heslop - School of Geography, Centre for the Environment, University of Oxford, South Parks Road, Oxford, OX1 3QY, UK.

Dr John McAlister - School of Geography, Queens University, Belfast BT7 1NN, UK. Email:

j.mcalister@gub.ac.uk

Dr Sue J. McLaren - Department of Geography, University of Leicester, University Road, Leicester LE1 7RH, UK. Email: sjm11@leicester.ac.uk

Dr David J. Nash - School of Environment and Technology, University of Brighton, Lewes Road, Brighton BN2 4GJ, UK. Email: d.j.nash@bton.ac.uk

Dr Allan Pentecost - Department of Life Sciences, Kings College London, Franklin-Wilkins Building, 150 Stamford St, London SE1 9NN, UK. Email: allan.pentecost@kcl.ac.uk

Professor Bernie J. Smith - School of Geography, Queens University, Belfast BT7 1NN, UK. Email: b.smith@gub.ac.uk

Dr Anna Tooth - Groundwater and Contaminated Land, The Environment Agency, Guildbourne House, Chatsworth Road, Worthing, West Sussex BN11 1LD, UK. Email: anna.tooth@environment-agency.gov.uk

Dr J. Stewart Ulliyott - School of Environment and Technology, University of Brighton, Lewes Road, Brighton BN2 4GJ, UK. Email: j.s.ullyott@bton.ac.uk

Professor Eric P. Verrecchia - Institut de Géologie, Université de Neuchâtel, Rue Emile-Argand 11, CP 2, CH-2007 Neuchâtel, Switzerland. Email: eric.verrecchia@unine.ch

Dr Heather A. Viles - School of Geography, Centre for the Environment, University of Oxford, South Parks Road, Oxford, OX1 3QY, UK. Email: heather.viles@ouce.ox.ac.uk

Dr Mike Widdowson - Department of Earth Sciences, The Open University, Walton Hall, Milton Keynes MK7 6AA, UK. Email: m.widdowson@open.ac.uk

Professor V. Paul Wright - School of Earth, Ocean and Planetary Sciences, Cardiff University, Main Building, Park Place, Cardiff CF10 3YE, UK. Email: wrightvp@cardiff.ac.uk

Series Editors' Preface

The RGS-IBG Book Series only publishes work of the highest international standing. Its emphasis is on distinctive new developments in human and physical geography, although it is also open to contributions from cognate disciplines whose interests overlap with those of geographers. The Series places strong emphasis on theoretically-informed and empirically strong texts. Reflecting the vibrant and diverse theoretical and empirical agendas that characterize the contemporary discipline, contributions are expected to inform, challenge and stimulate the reader. Overall, the RGSIBG Book Series seeks to promote scholarly publications that leave an intellectual mark and change the way readers think about particular issues, methods or theories.

For details on how to submit a proposal please visit: www.blackwellpublishing.com/pdf/rgsibg.pdf

Kevin Ward

University of Manchester, UK

Joanna Bullard

Loughborough University, UK

RGS-IBG Book Series Editors

Acknowledgements

In addition to the editors, who reviewed all the individual chapters, numerous external referees, selected for their expertise in specific geochemical sediments, provided constructive and conscientious reviews of the manuscript. These included: **Ana Alonso-Zarza**, Department of Petrology and Geochemistry, Universidad Complutense, Madrid, Spain; **Mark Bateman**, Department of Geography, University of Sheffield, UK; **Joanna Bullard**, Department of Geography, Loughborough University, UK; **Ian Candy**, Department of Geography, Royal Holloway, University of London, UK; **Frank Eckardt**, Department of Environmental and Geographical Science, University of Cape Town, South Africa; **Frank McDermott**, School of Geological Sciences, University College Dublin, Eire; **Martyn Pedley**, Department of Geography, University of Hull, UK; **Heather Viles**, School of Geography, Centre for the Environment, University of Oxford, UK; **John Webb**, Department of Earth Sciences, La Trobe University, Melbourne, Australia; and **Brian Whalley**, School of Geography, Archaeology and Palaeoecology, Queen's University Belfast, UK.

The majority of the photographs, line diagrams and tables within this volume are the authors' own. The following organisations and publishers are thanked for their permission to reproduce figures (which, in some instances, may have been redrawn or slightly modified): **Association des géologues du bassin de Paris**, for permission to reproduce [Figure 4.9B](#) (from Thiry, M. & Bertrand-Ayrault, M., 1988, 'Les grès de Fontainebleau: Genèse par écoulement de nappes phréatiques lors de l'entaille des vallées durant le Plio-Quaternaire et phénomènes connexes', *Bulletin d'Information des géologues du Bassin de Paris* **25**, 25-40. © Association des géologues du bassin de Paris). **Cooperative Research Centre for Landscape Environments and Mineral Exploration**, for permission

to reproduce [Figure 3.9](#) (from Anand, R.R., 2005, 'Weathering history, landscape evolution and implications for exploration', In: Anand, R.R. & de Broekert, P. (Eds) (2005) *Regolith Landscape Evolution Across Australia*, pp. 2-40. © Cooperative Research Centre for Landscape Environments and Mineral Exploration). **Elsevier**, for permission to reproduce [Figure 4.10C](#) (from Summerfield, M.A., 1982, 'Distribution, nature and genesis of silcrete in arid and semi-arid southern Africa', *Catena Supplement 1*, 37-65. © Elsevier). **Quaternary Research Association**, for permission to reproduce [Figure 7.2B](#) (from Smart, P.L. & Francis, P.D., 1990, *Quaternary Dating Methods - A User's Guide*. © Quaternary Research Association). **E. Schweizerbart'sche Science Publishers**, for permission to reproduce [Figure 3.11](#) (from Borger, H., 2000, *Mikromorphologie und Paläoenvironment: Die Mineralverwitterung als Zeugnis der cretazisch-tertiären Umwelt in Süddeutschland*. © E. Schweizerbart Science Publishers). **SEPM (Society for Sedimentary Geology)**, for permission to reproduce [Figures 7.7A](#) and [7.10E](#) (from Genty, D. & Quinif, Y., 1996, 'Annually laminated sequences in the internal structure of some Belgian stalagmites - importance for paleoclimatology', *Journal of Sedimentary Research 66*, 275-288. © Society for Sedimentary Geology). **Springer Science and Business Media**, for permission to reproduce [Figures 10.4](#) and [10.8](#) (from Eugster, H.P. & Hardie, L.A., 1978, 'Saline lakes'. In: Lerman, A. (ed) *Lakes: Chemistry, Geology, Physics*, pp. 237-293. © Springer, New York). **UNESCO**, for permission to reproduce [Figure 10.7](#) (from Valyashko, M.G., 1972, Playa lakes - a necessary stage in the development of a saltbearing basin. In: Richter-Bernberg, G. (ed.) *Geology of Saline Deposits*, pp. 41-51. © UNESCO, Paris). **United States Geological Survey**, for permission to reproduce [Figure 10.6](#) (from Eakin, T.E., Price, D. & Harrill, J.R., 1976, *Summary appraisals of the nation's ground-water resources - Great Basin region*. USGS

Professional Paper 813-G. © United States Geological Survey). **John Wiley and Sons Ltd**, for permission to reproduce [Figure 3.13](#) (from Thomas, M.F., 1994, *Geomorphology in the Tropics. A Study of Weathering and Denudation in Low Latitudes*. © John Wiley and Sons Ltd), [Figure 4.10A](#) (from Shaw, P.A. & Nash, D.J., 1998, Dual mechanisms for the formation of fluvial silcretes in the distal reaches of the Okavango Delta Fan, Botswana. *Earth Surface Processes and Landforms* **23**, 705–714 © John Wiley and Sons Ltd) and [Figure 4.10B](#) (modified from Ollier, C.D. & Pain, C.F., 1996, *Regolith, Soils and Landforms* © John Wiley and Sons Ltd).

Finally, our thanks go to the British Geomorphological Research Group (now **British Society for Geomorphology**) for supporting the working group from which this collection arose, and to **Jacqueline Scott**, **Angela Cohen** and **Rebecca du Plessis** at Blackwell Publishing for their patience and assistance during the long, painful gestation period leading to the publication of *Geochemical Sediments and Landscapes*.

David J. Nash

Sue J. McLaren

Brighton and Leicester, August 2007