



Rainer Sachse

Personality Disorders

A Clarification-Oriented
Psychotherapy Treatment Model

 hogrefe



Rainer Sachse

Personality Disorders

A Clarification-Oriented
Psychotherapy Treatment Model

 hogrefe

Personality Disorders

**A Clarification-Oriented Psychotherapy
Treatment Model**

Rainer Sachse

 **hogrefe**

About the Author

Rainer Sachse is Head of the Institute for Psychological Psychotherapy (IPP) in Bochum, Germany. He studied psychology from 1969 to 1978 at the Ruhr University of Bochum, Germany, and went on to gain his doctorate in psychology and a postdoctoral qualification for a full professorship, and later becoming a professor of clinical psychology and psychotherapy. At the end of the 1990s, Prof. Sachse developed a dual action theory of personality disorder which led to the creation of clarification-oriented psychotherapy, a therapy approach which he continues to use and develop today. His main areas of interest are personality disorders, psychosomatics, clarification-oriented psychotherapy, and behavioral therapy, and he has written extensively about these themes.

Library of Congress Cataloging in Publication

information for the print version of this book is available via the Library of Congress Marc Database under the Library of Congress Control Number: 2019938719

Library and Archives Canada Cataloguing in Publication

Title: Personality disorders : a clarification-oriented psychotherapy treatment model / Rainer Sachse.

Other titles: Persönlichkeitsstörungen. English

Names: Sachse, Rainer, author. | Translation of: Sachse, Rainer. Persönlichkeitsstörungen.

Description: Translation of: Persönlichkeitsstörungen : Leitfaden für die Psychologische Psychotherapie. | Includes bibliographical references.

Identifiers: Canadiana (print) 20190098422 | Canadiana (ebook) 20190098465 | ISBN 9780889375529 (softcover) | ISBN 9781613345528 (EPUB) | ISBN 9781616765521 (PDF)

Subjects: LCSH: Personality disorders. | LCSH: Personality disorders—Treatment. | LCSH: Psychotherapy.

Classification: LCC RC554 .S23 2019 | DDC 616.85/81—dc23

The present volume is an adaptation and translation of R. Sachse, *Persönlichkeitsstörungen - Leitfaden für die Psychologische Psychotherapie*, published under license from Hogrefe Verlag GmbH & Co. KG, Göttingen, Germany.
© 2004, 2013 by Hogrefe Verlag GmbH & Co. KG.

© 2020 by Hogrefe Publishing

www.hogrefe.com

The authors and publisher have made every effort to ensure that the information contained in this text is in accord with the current state of scientific knowledge, recommendations, and practice at the time of publication. In spite of this diligence, errors cannot be completely excluded. Also, due to changing regulations and continuing research, information may become outdated at any point. The authors and publisher disclaim any responsibility for any consequences which may follow from the use of information presented in this book.

Registered trademarks are not noted specifically as such in this publication. The use of descriptive names, registered names, and trademarks does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The cover image is an agency photo depicting models. Use of the photo on this publication does not imply any connection between the content of this publication and any person depicted in the cover image. Cover image: © LiudmylaSupynska - iStock.com

PUBLISHING OFFICES

USA: Hogrefe Publishing Corporation, 7 Bulfinch Place, Suite 202,
Boston, MA 02114
Phone (866) 823-4726, Fax (617) 354-6875; E-mail
customerservice@hogrefe.com

EUROPE: Hogrefe Publishing GmbH, Merkelstr. 3, 37085 Göttingen,
Germany
Phone +49 551 99950-0, Fax +49 551 99950-111; E-mail
publishing@hogrefe.com

SALES & DISTRIBUTION

- USA: Hogrefe Publishing, Customer Services Department, 30 Amberwood Parkway, Ashland, OH 44805
Phone (800) 228-3749, Fax (419) 281-6883; E-mail customerservice@hogrefe.com
- UK: Hogrefe Publishing, c/o Marston Book Services Ltd., 160 Eastern Ave., Milton Park, Abingdon, OX14 4SB, UK
Phone +44 1235 465577, Fax +44 1235 465556; E-mail direct.orders@marston.co.uk
- EUROPE: Hogrefe Publishing, Merkelstr. 3, 37085 Göttingen, Germany
Phone +49 551 99950-0, Fax +49 551 99950-111; E-mail publishing@hogrefe.com

OTHER OFFICES

- CANADA: Hogrefe Publishing, 660 Eglinton Ave. East, Suite 119-514, Toronto, Ontario, M4G 2K2
- SWITZERLAND: Hogrefe Publishing, Länggass-Strasse 76, 3012 Bern

Copyright Information

The e-book, including all its individual chapters, is protected under international copyright law. The unauthorized use or distribution of copyrighted or proprietary content is illegal and could subject the purchaser to substantial damages. The user agrees to recognize and uphold the copyright.

License Agreement

The purchaser is granted a single, nontransferable license for the personal use of the e-book and all related files.

Making copies or printouts and storing a backup copy of the e-book on another device is permitted for private, personal use only.

Other than as stated in this License Agreement, you may not copy, print, modify, remove, delete, augment, add to, publish, transmit, sell, resell, create derivative works from, or in any way exploit any of the e-book's content, in whole

or in part, and you may not aid or permit others to do so. You shall not: (1) rent, assign, timeshare, distribute, or transfer all or part of the e-book or any rights granted by this License Agreement to any other person; (2) duplicate the e-book, except for reasonable backup copies; (3) remove any proprietary or copyright notices, digital watermarks, labels, or other marks from the e-book or its contents; (4) transfer or sublicense title to the e-book to any other party.

These conditions are also applicable to any audio or other files belonging to the e-book. Should the print edition of this book include electronic supplementary material then all this material (e.g., audio, video, pdf files) is also available in the e-book edition.

Format: EPUB

ISBN 978-0-88937-552-9 (print) • ISBN 978-1-61676-552-1 (PDF) • ISBN 978-1-61334-552-8 (EPUB)

<http://doi.org/10.1027/00552-000>

Citability: This EPUB includes page numbering between two vertical lines (Example: |1|) that corresponds to the page numbering of the print and PDF ebook versions of the title.

IV Foreword

Personality disorder has been increasingly identified as a mental condition that influences the treatment and recovery of patients both in medical psychiatric and in psychodynamic and cognitive behavioral treatments. Despite significant research, personality disorders still remain relatively underrecognized and misperceived in both psychiatric and psychological evaluations, either due to the predominance of primary comorbid disorders, such as mood, trauma, substance misuse, or eating disorders, or because of insufficient strategies for distinguishing and integrating personality-based function into assessment and treatment. In addition, the shortage of general, effective guidelines for identifying and approaching personality disorders has left many clinicians and therapists to their own devices when facing these problems with their patients. Some personality disorders are significantly influenced by deficits in neuropsychological processing, by attachment patterns, and by trauma, in addition to cognitive and interpersonal patterns, while others can be identified primarily in terms of psychological processing and relational motivation and regulation.

This volume provides a most instructive and comprehensive outline for identifying and treating clients with these personality disorders, which first and foremost present with problems in psychological and relational

functioning. It fills a significant gap through its aim to create an integrative strategy for clarification and for motivating patients to seek to change. The author presents a well-organized approach, including detailed descriptions of each disorder and their array of functional patterns, with thorough therapeutic strategies for a broad range of problems in different phases of the treatment.

The clarification-oriented psychotherapy approach focuses on self-regulation and motivation in interpersonal interactions and relationships. By identifying motives and schemas, the author provides constructive and informative strategies for therapists to understand and manage the complexity of patients' internal and interpersonal functioning, which can otherwise easily distract therapists and invite unconnected or misleading perceptions of patients' mental functioning. The informative and detailed therapeutic guidelines can help direct therapists' efforts to identify and clarify patients' complex motives and the different behavioral and intentional aspects of their functioning, and these guidelines include specific examples that are anchored in a solid theoretical frame of reference. In addition, the author identifies the co-occurring normal aspects of personality functioning within the framework of psychopathology, as well as subcategories of disorders that present with a range of behaviors and levels of functioning. This is very important for alliance building and for engaging patients' sense of agency and motivation toward change and improvement.

In sum, this is a very well-structured, informative, and readily accessible book that provides unique and valuable guidelines for therapists treating those with personality disorders, with a clarification- and schema-focused approach. Given the integration of empirical studies ^[vi] with detailed clinical descriptions of each disorder, this is a useful and inspiring resource, and it is to be hoped that this book can be made available to therapists and clinicians in many countries.

Elsa Ronningstam, PhD

Harvard Medical School, Harvard University, Cambridge, MA

Contents

Foreword

Chapter 1 Essential Basic Concepts of Personality Disorders

1.1 Introduction

1.2 The Term *Personality Disorder*

1.3 Style and Disorder

1.4 Making Diagnoses

1.5 Resources

1.6 Personality Disorders as Relationship Disorders

1.7 Therapist Expertise

1.8 Relevance of DSM and ICD

Chapter 2 Characteristics of Personality Disorders

2.1 Introduction

2.2 Ego-Syntony and Ego-Dystony

2.3 Motivation for Change

2.4 Clients Are Motivated to Seek a Particular Relationship

2.5 Interaction Maneuvers

2.6 Tests

2.7 Problems Encountered by Therapists

Chapter 3 What Is Clarification-Oriented Psychotherapy?

3.1 Introduction

3.2 Aspects of Clarification-Oriented Psychotherapy

3.2.1 Relationship Formation

3.2.2 Confrontations

3.2.3 Clarification of Dysfunctional Schemas

3.2.4 Therapeutic Processing of Dysfunctional Schemas

3.3 Empirical Findings

3.3.1 Process Research Metrics

3.3.2 Process Research

3.3.3 Research on Success

Chapter 4 General Psychological Function Model for Personality Disorders

4.1 Introduction

4.2 Dual Action Regulation Model

4.2.1 Introduction

4.2.2 The Level of Authentic Action Regulation, or Motive Level

4.2.3 The Level of Dysfunctional Schemas

4.2.4 The Level of Nontransparent Behavior, or Game Level

Chapter 5 Diagnostic Features of Personality Disorders

5.1 Introduction

5.2 Relationship Motives

5.3 Dysfunctional Schemas

5.4 Compensatory Schemas

5.5 Interaction Games

5.6 General Model and Specific Disorders

Chapter 6 Therapeutic Strategies for Clients With PD: Consequences of the Model

6.1 Introduction

6.2 Therapy Phases

6.3 Therapeutic Strategies for Phase 1: Model and Relationship

6.3.1 Model Development

6.3.2 Complementary Relationship

6.3.3 Explicating the Relationship Motives

6.3.4 Directing and Internalizing

6.3.5 Understanding and Clarifying

6.3.6 Dealing With Avoidance

6.3.7 Passing the Tests

6.3.8 Resource Activation

6.4 Therapeutic Strategies in Phase 2: Game Level and Tests

6.4.1 Developing a Therapeutic Goal

6.4.2 Replenishing the Relationship Account

6.4.3 Clarification

6.4.4 Biographical Work

6.4.5 Dealing With Avoidance

6.5 Therapeutic Strategies in Phase 3: Clarification of Schemas

6.5.1 Clarification of Schemas

6.5.2 Dealing With Alienation

6.6 Therapeutic Strategies in Phase 4: Working Through Schemas

6.6.1 Client in Client Position: Working Out a Treatable Assumption

6.6.2 Client in Therapist Position: Treating the Assumption

6.6.3 Client in Client Position: Examining the Counterarguments

6.7 Therapeutic Strategies in Phase 5: Transfer

Chapter 7 Types of Personality Disorders

7.1 Introduction

7.2 Pure and Hybrid Personality Disorders

7.3 Proximity and Distance Disorders

7.3.1 Proximity Disorders

7.3.2 Distance Disorders

7.4 Differences Between Proximity and Distance Disorders

7.4.1 Trust and Building Up the Relationship

7.4.2 Affects and Processing Processes

7.4.3 Therapeutic Consequences

7.4.4 State of Research

7.5 Further Specific Therapy Approaches

7.6 Overview of Disorders

Chapter 8 Narcissistic Personality Disorder

8.1 Description and Types of NPD

8.1.1 The Former Definition: SNPD

8.1.2 Diagnostics: DSM Criteria for SNPD

8.1.3 Further Characteristics of NPD

8.2 Definition of NPD, Based on Dual Action Regulation Model

8.2.1 Definition Criteria for NPD

8.2.2 Definition Criteria for Successful Narcissists

8.2.3 Definition Criteria for Failed Narcissists

8.2.4 Definition Criteria for Unsuccessful Narcissists

8.3 Therapeutic Strategies

8.3.1 Therapeutic Strategies for NPD in General

8.3.2 Therapeutic Strategies for SNPD

8.3.3 Therapeutic Strategies for FNP

8.3.4 Therapeutic Strategies for UNPD

Chapter 9 Histrionic Personality Disorder

9.1 Description and Types of HPD

9.1.1 Prevalence and Gender Differences

9.1.2 Progression

9.1.3 Comorbidity

9.1.4 Further Characteristics of HPD

9.1.5 Successful and Unsuccessful HPD

9.2 Definition of HPD, Based on Dual Action Regulation Model

9.2.1 Central Relationship Motives

9.2.2 Dysfunctional Schemas

9.2.3 Compensatory Schemas

9.2.4 Manipulation

9.2.5 Tests

9.2.6 Characteristics of HPD

9.2.7 Successful and Unsuccessful HPD

9.3 Therapeutic Strategies for HPD in General

9.3.1 Therapeutic Strategies in Phase 1

9.3.2 Therapeutic Strategies in Phase 2

9.3.3 Therapeutic Strategies in Phase 3

9.3.4 Therapeutic Strategies in Phase 4

9.3.5 Therapeutic Strategies in Phase 5

9.4 Processing Alienation

9.5 Therapeutic Strategies for UHPD

Chapter 10 Dependent Personality Disorder

10.1 Description of DPD

10.1.1 Therapeutic Problems

10.1.2 Criteria for DPD

10.1.3 Gender Bias

10.1.4 Helplessness and Interactional Behavior

10.1.5 Partner Reactions

10.1.6 Emotions

10.1.7 Comorbidities

10.1.8 Further Characteristics of DPD

10.1.9 Therapeutic Work

10.2 Definition of DPD, Based on Dual Action Regulation Model

10.2.1 Relationship Motives

10.2.2 Dysfunctional Schemas

10.2.3 Compensatory Schemas

10.2.4 Manipulative Strategies

10.2.5 Tests

10.2.6 Characteristics of DPD

10.3 Therapeutic Strategies

10.3.1 Therapeutic Strategies in Phase 1

10.3.2 Therapeutic Strategies in Phase 2

10.3.3 Therapeutic Strategies in Phase 3

10.3.4 Therapeutic Strategies in Phase 4

10.3.5 Therapeutic Strategies in Phase 5

Chapter 11 Avoidant Personality Disorder

11.1 Description of AvPD

11.1.1 Differentiation of AvPD from Social Phobia

11.1.2 Criteria for AvPD

11.1.3 Further Characteristics of AvPD

11.2 Definition of AvPD, Based on Dual Action Regulation Model

11.2.1 Central Relationship Motives

11.2.2 Dysfunctional Schemas

11.2.3 Compensatory Schemas

11.2.4 Games and Tests

11.2.5 Characteristics of AvPD

11.3 Therapeutic Strategies

11.3.1 Therapeutic Strategies in Phase 1

11.3.2 Therapeutic Strategies in Phase 2

11.3.3 Therapeutic Strategies in Phase 3

11.3.4 Therapeutic Strategies in Phase 4

11.3.5 Therapeutic Strategies in Phase 5

Chapter 12 Passive-Aggressive Personality Disorder

12.1 Description of PAPD

12.1.1 Description and Empirical Results

12.1.2 Further Characteristics of PAPD

12.1.3 Prevalence and Comorbidity

12.2 Definition of PAPD, Based on Dual Action Regulation Model

12.2.1 Central Relationship Motives

12.2.2 Dysfunctional Schemas

12.2.3 Compensatory Schemas

12.2.4 Manipulation

12.2.5 Tests

12.2.6 Characteristics of PAPD

12.3 Therapeutic Strategies

12.3.1 Therapeutic Strategies in Phase 1

12.3.2 Therapeutic Strategies in Phase 2

12.3.3 Therapeutic Strategies in Phase 3

12.3.4 Therapeutic Strategies in Phase 4

12.3.5 Therapeutic Strategies in Phase 5

Chapter 13 Schizoid Personality Disorder

13.1 Description of SzPD

13.1.1 Description

13.1.2 Prevalence and Comorbidities

13.1.3 Further Characteristics of SzPD

13.2 Definition of SzPD, Based on Dual Action Regulation Model

13.2.1 Central Relationship Motives

13.2.2 Dysfunctional Schemas

13.2.3 Compensatory Schemas

13.2.4 Manipulation

13.2.5 Tests

13.2.6 Characteristics of SzPD

13.3 Therapeutic Strategies

13.3.1 Therapeutic Strategies in Phase 1

13.3.2 Therapeutic Strategies in Phase 2

13.3.3 Therapeutic Strategies in Phase 3

13.3.4 Therapeutic Strategies in Phase 4

13.3.5 Therapeutic Strategies in Phase 5

Chapter 14 Obsessive-Compulsive Personality Disorder

14.1 Description of OCPD

14.1.1 Description

14.1.2 Biographical Experience

14.2 Definition of OCPD, Based on Dual Action Regulation Model

14.2.1 Central Relationship Motives

14.2.2 Dysfunctional Schemas

14.2.3 Compensatory Schemas

14.2.4 Manipulation

14.2.5 Tests

14.2.6 Characteristics of OCPD

14.3 Therapeutic Strategies

14.3.1 Therapeutic Strategies in Phase 1

14.3.2 Therapeutic Strategies in Phase 2

14.3.3 Therapeutic Strategies in Phase 3

14.3.4 Therapeutic Strategies in Phase 4

14.3.5 Therapeutic Strategies in Phase 5

Chapter 15 Paranoid Personality Disorder

15.1 Description of PPD

15.1.1 Description

15.1.2 Prevalence and Comorbidity

15.2 Definition of PPD, Based on Dual Action Regulation Model

15.2.1 Central Relationship Motives

15.2.2 Dysfunctional Schemas

15.2.3 Compensatory Schemas

15.2.4 Manipulation, Images, and Appeals

15.2.5 Tests

15.2.6 Characteristics of PPD

15.2.7 Proximity, Distance, and Bonding

15.2.8 Ego-Syntony, Perspective, and Avoidance

15.2.9 Costs

15.3 Therapeutic Strategies

15.3.1 Therapeutic Strategies in Phase 1

15.3.2 Therapeutic Strategies in Phase 2

15.3.3 Therapeutic Strategies in Phase 3

15.3.4 Therapeutic Strategies in Phase 4

15.3.5 Therapeutic Strategies in Phase 5

References

List of Abbreviations

^[1] **Chapter 1** **Essential Basic Concepts of** **Personality Disorders**

1.1 Introduction

The concept of personality disorders (PDs) has a long history, and in consequence, widely differing ideas have developed around it. These ideas vary greatly from one another and are barely compatible (e.g., see [Benjamin, 1996, 2003](#); [Clarkin & Lenzenweger, 1996](#); [Derksen, 1995](#); [Fiedler, 2007](#); [Fowler et al., 2007](#); [Magnavita, 2004](#); [Oldham et al., 2005](#)).

Recent developments of this concept suggest that PDs should be conceived of as based on two factors: One should first conceptualize generally what PDs in fact are in a psychological sense, and then, on the basis of this general concept, one should clearly define the characteristics of the individual disorders (see [Livesley, 1998, 2001](#); [Livesley & Jackson, 1992, 2009](#); [Livesley & Jang, 2005](#); [Livesley et al., 1994, 1998](#); [Hentschel, 2013](#)). Some considerations of this are also dealt with in the American Psychiatric Association (APA) *Diagnostic and Statistical Manual of Mental Disorders*, fifth edition (DSM-5; [APA, 2013](#)).

The concept of PDs presented here adopts an equivalent approach: A general model of the psychological functioning of PDs is introduced, with the individual disorders then being elucidated on the basis of this model. Moreover, therapeutic implications are derived from the general as well as specific models (see [Döring & Sachse, 2008a, 2008b](#)).

The purpose of this book is not to trace and discuss conceptual developments, however. Rather it is to illustrate a **treatment concept of PD** – that is, the concept of **clarification-oriented psychotherapy** (COP; in German: *klärungorientierte Psychotherapie*, or KOP). For this purpose, essential basic concepts of the approach to PDs will be emphasized to reveal the ideas that are suggested for the concept described here.

1.2 The Term *Personality Disorder*

It was initially suggested that there were some disorders that were very comprehensive, profound, and treatment-resistant. As a result, these disorders were seen as **disorders of the overall personality** (see [Kernberg, 1978](#); [Kretschmer, 1921](#); [Schneider, 1923](#)).

According to current psychological concepts ([Fiedler & Herpertz, 2016](#); [Millon, 2011](#)), one must still assume that these disorders are complex, and that owing to their specific psychological ^[2] constellations, they remain relatively difficult to treat (see [O'Donohue, Fowler, & Lilienfeld, 2007](#)). However, the disorder at issue is not necessarily considered

a disorder of the personality. Instead, it has become clear that features which characterize a PD are often already present in a lighter form in almost every person and are largely considered as normal and ordinary. As a result, more severe forms appear to be only extreme forms of ordinary psychological occurrences ([Fiedler, 2007](#)) and therefore are variations of a norm that are not necessarily considered as pathological.

In this context, a tendency in psychology could be observed to depathologize and normalize PDs. However, it is still obvious that these disorders generate great costs for the person concerned and that it makes sense to treat them therapeutically. Nonetheless, it is important to refrain from stigmatizing those affected. Unlike [Emmelkamp and Kamphuis \(2007\)](#), we do not view PDs as a “chronic psychiatric disorder . . . characterized by pathological personality traits” ([Sachse, Sachse & Fasbender, 2010, 2011](#); [Sachse, Fasbender, Breil, & Sachse, 2012](#)).

It is essential to see PDs as an extreme form of ordinary, normal psychological processes, which generate such great costs for the person concerned that psychotherapy is useful.

Therefore, in this book clients with PD will not be classified or designated as infantile, immature, pathological, seriously disturbed, or temperamentally deficient. It is important to get away from such negative evaluations (this is important to create a good therapeutic relationship with the client!). Furthermore, such a diagnosis may affect the therapist’s stance and interventions. Basically, it would make sense to

dispense with the term *personality disorder* and replace it with *interaction disorder*. However, since the term has been adopted into the language, it is easier to stay with the term personality disorder as long as one knows what is intended by it.

1.3 Style and Disorder

Individuals with a minor personality style exhibit characteristics of a psychological entity in a mild form, whereas individuals with a major clinical disorder exhibit these characteristics in a severe form.

An important implication of this approach is the assumption that there are no distinct criteria according to which a style becomes a disorder. Basically, there are no empirically valid criteria which specify precisely when a style becomes a disorder (see [Caspar et al., 2008](#); [Foster & Campbell, 2005, 2007](#); [Krueger et al., 2007](#); [Livesley et al., 1994](#); [Ronningstam, 2005](#); [Samuel & Widiger, 2011](#); [Watson, 2005](#); [Widiger & Samuel, 2005](#); [Widiger & Simonsen, 2005](#); [Widiger et al., 2005](#)). Thus, during the process of psychotherapy, it is sensible to negotiate with the client as to whether they consider their disorder to be so disruptive that therapy is indispensable.

1.4 Making Diagnoses

An important aspect of depathologization is that one does not make diagnoses of PD to label people: If one makes an

official diagnosis (i.e., one that is passed on to the authorities), one ^[3] should always be aware that it can certainly be used against the client, and one should be careful about this. For internal communication between professionals, that is, in supervision, diagnoses serve exclusively to help understand exactly what the client's disorder is in order to be able to deal constructively with the client.

The sole purpose of diagnosis is to derive meaningful therapeutic measures to help the client ([Sachse, 2017](#)).

Therefore, it makes sense in principle that a therapist

- gives a diagnosis,
- is aware of the fact that this is always a more or less well-proven hypothesis – that is, a working hypothesis for the purposes of psychotherapy,
- establishes a diagnosis as early as possible in the process (and as a first hypothesis),
- never overlooks a client's PD.

And in this case, it may well make sense to speak, for example, of narcissism as a disorder, although the client only exhibits a style: Because it can be helpful even then to be sufficiently prepared for games, motivational problems, etc.

In general, it appears to be expedient to consider a personality style or a disorder in the therapy process – that is, to diagnose it and to consider it in the therapeutic procedure if